



ergonomic workplace solutions

# Adapt Ergonomics/Adapt Global Pricing & Specifications Manual

Price Guide - U.S. Prices effective August 2017

GSA Contract Number# GS-27F-005DA  
Contact us for information on qualifying products.

**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)**  
**[infousa@adapt-global.com](mailto:infousa@adapt-global.com)**



ergonomic workplace solutions

## About Adapt Ergonomics/Adapt Global

Adapt Ergonomics/Adapt Global is changing the way you work with products that enhance employee productivity, all while reducing risk and increasing safety in the workplace. Adapt Ergonomics provides modern and distinctive solutions for all workspace challenges including storage, lighting, spatial and human factor needs.

We believe a company can save money and increase employee productivity by providing workspace solutions that have a positive impact on the performance and well-being of their workforce.

Sustainable Design - It's an action. It's a decision. It's a corporate responsibility. Reduce, Reuse, Recycle and Retain is how we at Adapt live sustainability, which is an inherent and integral design feature of all our products.

## TABLE OF CONTENTS

---

WORKPLACE SOLUTIONS.....	4
LIGHTING .....	5
LIGHTING TECHNICAL COMPARISON .....	11
CABLE MANAGEMENT .....	13
CABLE BASKET.....	14
SPACE BEAMS .....	15
CPU HOLDERS .....	22
MONITOR ARMS .....	29
LAPTOP PLATFORMS .....	36
KEYBOARD PLATFORMS.....	41
PELICAN DRAWERS .....	45
SCISSOR LIFTS .....	47
ILS SIT-STAND SYSTEM .....	49
WALL SOLUTIONS.....	60
SPACE TRAYS .....	64
OLÉ CHAIR .....	66
MOPED .....	68
POLEARM & TABLET ARMS .....	70
POWER DATA COMMUNICATIONS MODULE .....	73
SIGNATURE NAME PLATE .....	75
FOOTREST .....	76
SUCKER CLIP .....	77
HI CHAIR HI STOOL .....	78
GSA INFORMATION .....	80
WARRANTY INFORMATION .....	81
ENVIRONMENTAL & LEED INFO .....	85



ergonomic workplace solutions

## WORKPLACE SOLUTIONS

ARCHITECTS AND DESIGNERS

- Adapt has developed an uncompromising range of products and services for the modern office environment.

### Adaptable. Flexible. Scalable.

Adapt utilizes its professional experience to create ergonomically sound work spaces with specialized products and services. Adapt ergonomic products will increase the comfort, safety and efficiency of your clients' workforce.



### Ergonomic and Visually Appealing

Effective deployment of a comprehensive ergonomics program can help an organization save time and money while increasing productivity. We offer measurable and quantifiable data to help create a functional and adaptable work environment.



### Sustainable Design Solutions

It's an action. It's a decision. It's a corporate responsibility.

REDUCE, REUSE, RECYCLE and RETAIN is how we at Adapt live sustainability, an inherent and integral design feature of all our products.



**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011



1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)

## LIGHTING: WAVE LIGHT

---

Wave Light I and II provide all the desirable features of LED light without any of the drawbacks: Conventional LED task lights often create an inadequate field of illumination, glare, light pooling, high contrast illumination ratios and/or multiple shadows. Wave Light technology eliminates these shortcomings by providing a color temperature in the ideal range as well as a three stage dimmer for adjusting illumination to the desired level.



# SELECT YOUR LED TASK LIGHT



## STYLE

Step 1



**Wave Light 1 Standard Arm**  
WL01  
3 Stage Dimmer  
20.5"/520.7mm base to pivot

**\$357**



**Wave Light 1 Short Arm**  
WL02  
3 Stage Dimmer  
18"/457.2mm base to pivot

**\$367.50**



**Wave Light 2 Standard Arm**  
WL21  
Integrated Ambient  
Light Sensor  
20.5"/520.7mm base to pivot  
**\$409.50**



**Wave Light 2 Short Arm**  
WL22  
Integrated Ambient  
Light Sensor  
18"/457.2mm base to pivot  
**\$409.50**

## MOUNTS

Step 2



**Bolt Through**  
BT  
**\$31.50**



**C-Clamp**  
CC  
**\$31.50**



**Desk Base**  
DB  
**\$78.75**



**Desk Base Electric**  
DBE  
2 Grounded 110 volt plugs  
10 amp output  
**\$378**



**Vertical Mount Adjustable**  
VM-ADJL1  
Slat Wall  
**\$31.50**



**Vertical Mount Adjustable**  
VM-ADJL2  
Slat Wall 2  
**\$31.50**



**Vertical Mount Adjustable**  
VM-ADJL4  
Slat Wall 4  
**\$31.50**



**Beam Mount**  
BM  
SpaceBeam 1  
**\$31.50**

# COLOR

Step 3



**Platinum**  
PLT




**White**  
WHT



**Black**  
BLK

# POWER

Step 4



## OPTIONAL NUP

Universal Power Adapter  
North America  
\$7.35

# OCCUPANCY SENSOR

## OPTIONAL WLVS01



Occupancy  
Sensor \$78.75

## Wave Light I Specifications

- 3-stage dimmer
- Energy-efficient, high performance LED lighting
- 120 LEDs
- Projected life in excess of 50,000 hours
- Luminous efficacy: 53 lm/w actual
- Peak illumination: 80fc
- Area of LED illumination greater than 24"/609.6mm in diameter
- Color temperature: 3800K
- Color Rendering Index (CRI): 70
- Patented refractive lens eliminates light pooling and minimizes shadows
- Standard Wave Light 20.5"/520.7mm base to pivot
- Short Wave Light 18"/457.2mm base to pivot
- Dimmer switch for three levels of illumination:
  - High watt = 11
  - Mid watt = 5.8
  - Low watt = 1.5

## Wave Light II Specifications

- Integrated ambient sensor
- Energy-efficient high performance LED lighting
- 120 LEDs
- Projected life in excess of 50,000 hours
- Luminous efficacy: 53 lm/w
- Peak illumination: 80fc
- Area of LED illumination greater than 24"/609.6mm in diameter
- Color temperature: 3800K
- Color Rendering Index (CRI): 70
- Patented refractive lens eliminates light pooling and minimizes shadows
- Standard Wave Light 20.5"/520.7mm base to pivot
- Short Wave Light 18"/457.2mm base to pivot
- Dimmer dial with seven levels of illumination:
  - High watt = 9.3
  - Low watt = 1.5



## WAVE STRIP LIGHT

UNDER CABINET LED TASK LIGHTING

Slim aesthetic design with a quality LED light source.



**Strip Light**  
*Top View*



**Strip Light**  
*Front View*



**Strip Light**  
*with Power Adapter*



**Strip Light**  
*WSA24A-2*



**Strip Light**  
*WSA24A-2*



**Strip Light**  
*WSA24-2*



**Strip Light**  
*WSA24-2*





ergonomic workplace solutions



## WAVE STRIP LIGHT

### UNDER CABINET LED TASK LIGHTING

Lighting Specifications	Wave Light Under Cabinet LED
Number of LED chips	120
CRI (Color Rendering Index)	71
Luminous efficacy	47.5 lm/w
Wattage (at highest)	9.3 w
International capabilities (UK, EU, Asia, etc.)	yes
Color temperature	3800 K
Area of illumination	80 fc - 20 fc
Ambient sensor	no
Personal sensor	yes
3 stage dimmer	yes
<b>Mounting Options</b>	
Magnetic under cabinet mount	yes
Screw under cabinet mount	yes
Gang together (buy 1 - add 3 more no adapter change needed)	4 x 24"
<b>Finish Options</b>	
Platinum finish	yes
Custom finish (minimum order required)	yes
<b>Light Quality</b>	
Multiple shadows	no
Light pooling	no
High contrast shadows	no
High contrast illumination ratios	no
Consistent lighting	yes
<b>Structural Design</b>	
24" L increments	yes


# SELECT YOUR LED WAVE STRIP UNDER CABINET LIGHT

## NUMBER OF LIGHTS

Step 1




**1**  
One Light with 24"/609.6mm  
cord  
**\$315**



**2**  
Two Lights with (2)  
24"/609.6mm cords  
**\$577.50**



**3**  
Three Lights with (3)  
24"/609.6mm cords  
**\$840**



**4**  
Four Lights with (4)  
24"/609.6mm cords  
**\$1,102.50**

## CABLE

Step 2



One 24"/609.6mm cable  
*WS00-2*  
**\$10.50**



One 48"/1219.2mm cable  
*WS00-4*  
**\$10.50**




With Power Adapter  
*WS00A*  
**\$52.50**



Without Power Adapter  
*WS00*

## OCCUPANCY SENSOR

OPTIONAL  
*OC*  
Occupancy  
Sensor **\$78.75**



### LED Under Cabinet Light Specifications

- 3-stage dimmer
- Energy-efficient, high performance LED lighting
- 120 LEDs
- Projected life in excess of 50,000 hours
- Luminous efficacy: 47.5 lm/w
- Peak illumination: 80fc
- Area of LED illumination greater than 24"/609.6mm in diameter
- Color temperature: 3800K
- Color Rendering Index (CRI): 71
- Patented Wave Light Technology
- High watt = 9.47
- Mid watt = 5.03
- Low watt = 2.74

Adapt Ergonomics/Adapt Global  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)



ergonomic workplace solutions



## WAVE LIGHT TECHNICAL COMPARISON

	Wave Light I	Wave Light II	Wave Strip Light
<b>Lighting Specifications</b>			
Number of LED chips	24	120	120
CRI (Color Rendering Index)	65+	70+	71
Luminous efficacy	29 lm/w	53 lm/w	47.5 lm/w
Wattage (at highest)	11w	9.3w	9.3w
International capabilities (UK, EU, Asia, etc)	yes	yes	yes
Color temperature	3800K	3800K	3800K
Area of illumination	80 fc - 20 fc	80 fc - 20 fc	80 fc - 20 fc
Ambient sensor	no	yes	no
Personal sensor	yes	yes	yes
3 stage dimmer	yes	no** (integrated)	yes
<b>Mounting Options</b>			
Clamp Mount	yes	yes	n/a
Freestanding Base Mount	yes	yes	n/a
Vertical Mount/Slatwall	yes	yes	n/a
Bolt Thru Mount	yes	yes	n/a
Powered Base Mount	yes	yes	n/a
Magnetic Under Cabinet Mount	n/a	n/a	yes
Screw Under Cabinet Mount	n/a	n/a	yes
Gang together (buy 1 - add 3 more no adapter change needed)	n/a	n/a	4 x 24"
<b>Finish Options</b>			
Platinum finish	yes	yes	yes
White finish	yes	yes	no
Black finish	yes	yes	no
Custom finish (minimum order required)	yes	yes	yes
<b>Light Quality</b>			
Multiple shadows	no	no	no
Light pooling	no	no	no
High contrast shadows	no	no	no
High contrast illumination ratios	no	no	no
Consistent lighting	yes	yes	yes



ergonomic workplace solutions



## WAVE LIGHT TECHNICAL COMPARISON

	Wave Light I	Wave Light II	Wave Strip Light
<b>Structural Design</b>			
Double extension counter balance	yes	yes	n/a
27" full arm extension (standard arm)	yes	yes	n/a
Z axis rotation of head	yes	yes	n/a
Vertical stop in arm	yes	yes	n/a
Short height version (18"H)	yes	yes	n/a
Standard height version (20.5"H)	yes	yes	n/a
24" L increments	no	no	yes
<b>Environmental Consideration</b>			
Energy Star Compliant	yes	yes	yes
100% recyclable	yes	yes	yes
25% recycled content	yes	yes	yes
75% recycled content in packaging	yes	yes	yes
100% recyclable packaging	yes	yes	yes
<b>Helps Earn LEED Credits for</b>			
1.1 Optimize energy performance lighting power	yes	yes	yes
4.1 Recycled content 10%	yes	yes	yes
4.2 Recycled content 20%	yes	yes	yes
6.1 Controllability of lighting systems	yes	yes	yes
<b>Pricing</b>			
Starting price	\$357 +	\$409.50 +	\$315 +
Weighted Base Mount option	\$21	\$21	n/a
Powered Base with electrical outlets ADD	\$378	\$378	n/a
Mounts: Bolt Through, C-Clamp, SpaceBeam 1, SpaceBeam 2, Slat Wall ADD	\$10.50	\$10.50	\$10.50
Add-on strip ADD	n/a	n/a	\$262.50+
Personal occupancy sensor ADD	\$78.75	\$78.75	\$78.75

*Note: Wave Light Short starts at \$367.50*



ergonomic workplace solutions

## CABLE MANAGEMENT SOLUTIONS

Manage and organize cables in all areas of your workspace.

### Cable Net


CABM0969BK

\$84

- Cable Net conceals and organizes cables from desk to floor.
- Top mount allows for varying desk heights.
- Weighted base with soft neoprene underside adds grip and protects polished floors.
- Integral cable tie loops on the base and top mount allows cables to be secured.

Available in Black and Gray\*.

\*Special order basis.



### Cable Spine


CABM05BK

\$63

- Injection moulded links form a flexible chain to route the cables.
- Hinged design allows use with height adjustable desks.
- Cable applicator tool rapidly threads cables through the spine.
- Weighted base with soft neoprene underside adds grip and protects polished floors.
- Integral cable tie loops on the base and top mount allows cables to be secured.

Available in Black and Gray\*.

\*Special order basis.



### Cable Hanger

CABM070BK

\$26.25

The Cable Hanger is a solution for all under-the-work surface horizontal cable management needs.

Available in Black.



### Power Strip

CAPS01WH

\$73.50




Adapt Ergonomics/Adapt Global  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)

## CABLE BASKET

The Cable Basket by Adapt affixes to the underside of any desk, creating a convenient storage solution ideal for supporting electrical units and cables off the floor.



### Overview




The Cable Basket by Adapt affixes to the underside of any desk, creating a convenient storage solution ideal for supporting electrical units and cables off the floor. The Cable Basket is available in several sizes and is easily attached below any desk using the bracket kit (included). It is durable enough to accommodate heavy-duty cable management or basic needs. Available in powder finish black, white, or silver, the Cable Basket maximizes space and offers an organizational solution to keep electrical cables neat.

### Key Benefits

- Comes in a variety of colors and sizes to suit individual requirements
- Fits below any desk, regardless of desk size
- Quickly and easily affix to underside of desk with bracket kit (included)
- Keeps electrical units and cables organized, off the floor and desk, maximizing space.
- Adds low-key storage to any desk configuration
- Strong enough to accommodate heavy-duty cable management requirements
- Cable trays can be customized to specific desk ranges and requirements

### Technical Overview

- Powder coated finish in black, white, or silver as standard.  
*Custom color availability based on order volume.*
- Mounting: brackets kit included affixing cable basket directly to desk.  
*Bespoke mounting options available based on order volume.*
- Construction: steel mesh.



## Custom Sizes Available



ergonomic workplace solutions

## SPACE BEAMS

---



SpaceBeams clear the work surface and enable users to position task related equipment and materials within their optimum reach and focal zones. Whether you need to fully design a customizable workstation or just enhance an existing one, our wide array of mounting options make integration effortless.




ergonomic workplace solutions

## SPACE BEAM 1 ORGANIZATIONAL MANAGEMENT



Standard  
SPBML



Double Sided  
SPBMD



Corner  
SBCS01



Double Sided Stacked  
SPBMDS



Stacked  
SPBMS

### Environmental Design Attributes

#### SpaceBeam I:

- Recycled content of aluminum - 99.7%
- Recyclable aluminum after use - 100%

#### Cardboard Packaging:

- Recycled content - 20%
- Recyclable after use - 100%

#### Pulp Tray:

- Recycled content - 100%
- Recyclable after use - 100%

#### Plastic Packaging:

- Low density polyethylene
- Recycled content - 30%
- Recyclable after use - 100%

### Benefits

- Security - Keep technology components and commonly used materials up and off the surface.
- Storage - Customizable storage solutions.
- Organization - Improved organization, improves overall productivity.
- Ergonomic - Task related objects and materials in optimum reach and focal zones.
- Space - Maximizes under-utilized vertical work space.
- Technology - Multiple monitor flexibility and modularity.
- Environment - Compatible with existing or new workstations.

### Technical Specs

- Lengths: 32" - 48" / 812.8mm - 1219.2mm
- Custom lengths available
- Mounts: C- Clamp, Large C- Clamp, Grommet, Bolt, Panel, Corner, Wall
- Stacking Mounts: Single back-to-back, Double stack, Double stack back-to-back
- Mount heights: 4", 6", 8" H / 101.6mm, 152.4mm, 203.2mm
- Actual height and depth of beam extrusion 5.8" H x 1.45" D / 47.32mm x 36.83mm
- Mount options: Back mount 4" D and Low Profile 2.5" D / 63.50mm (Two-tiered always standard back mount)

Adapt Ergonomics/Adapt Global  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)






ergonomic workplace solutions

## SPACE BEAM 2

### ORGANIZATIONAL MANAGEMENT

SpaceBeam 2 clears the work surface and enable users to position task-related equipment and materials within their optimum reach and focal zones. SpaceBeams lessen the need for overhead cabinets. They improves organization, which improves overall productivity.



Standard  
SPB2



Stacked  
SPB2

### Environmental Design Attributes

#### SpaceBeam 2:

- Recycled content of aluminum - 99.7%
- Recyclable aluminum after use - 100%

#### Cardboard Packaging:

- Recycled content - 20%
- Recyclable after use - 100%

#### Pulp Tray:

- Recycled content - 100%
- Recyclable after use - 100%

#### Plastic Packaging:

- Low density polyethylene
- Recycled content - 30%
- Recyclable after use - 100%

### Benefits

- Security - Keep technology components and commonly used materials up and off the surface.
- Storage - Less need for overhead cabinets.
- Organization - Improved organization, improves overall productivity.
- Ergonomic - Task related objects and materials in optimum reach and focal zones.
- Space - Maximizes vertical space and under-utilized work surface space.
- Technology - Multiple monitor flexibility and modularity.
- Environment - Ability to use any existing or new workstation or office set up.

### Technical Specs

- Lengths: 32" - 48" / 812.8mm - 1219.2mm
- Custom lengths available
- Mounts: C- Clamp, Large C- Clamp, Grommet, Bolt, Panel, Corner, Wall
- Stacking Mounts: Single back-to-back, Double stack back-to-back

- Mount heights: 4", 6", 8" H / 101.6mm, 152.4mm, 203.2mm
- Actual height and depth of beam extrusion 6.3" H x 1" D / 160.02mm x 25.40mm
- Mount options: standard/Integrated into beam 1.9" D / 48.26mm

**Adapt Ergonomics/Adapt Global**

17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499 | www.adapt-global.com**

**infousa@adapt-global.com**



ergonomic workplace solutions

# SPACE BEAM

ACCESSORIES

## ACCESSORIES



Corner Shelf  
SBSC01 \$210




6" or 9" Glass Shelf  
SBAGS \$53.50 - \$63



12" Glass Shelf  
SBAGS3 \$73.50



In Out Tray  
SBAI01 \$157



Binder Rack  
SBABR1 \$126



File Rack  
SBFR01 \$71.40



Vase  
SBVS01 \$60.90



Notepad Tray  
SBNP01 \$28.35



Pencil Cup  
SBPC01 \$65.10




Telephone Shelf  
SBATS1 \$84



Laptop Platform  
SP01LPBM \$357



Telephone Shelf Arm  
SP01BMTL \$294



SpaceArm  
SA01BM \$336



Wave Light  
WL01BM \$367.50

Adapt Ergonomics/Adapt Global  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | www.adapt-global.com  
infousa@adapt-global.com

# SELECT YOUR SPACE BEAM ORGANIZATIONAL SYSTEM

## STYLE

Step 1



Space Beam 1  
SPBM



Space Beam 2  
SPB2M

## SURFACE MOUNT

Step 2



Bolt Through  
BT  
Standard Mount



Grommet Mount  
GT  
\$42




Large C-Clamp  
CL  
\$42



C-Clamp  
CC  
\$42



Wall Mount  
WM  
\$42



Vertical Mount\*  
VM

\* A variety of vertical mounts are available. See your Adapt Rep or visit [www.adapt-global.com](http://www.adapt-global.com) for details. Price listed is per mount.

## EXTRUSION

Step 3



0" Extrusion  
SpaceBeam 2 Only  
Included



4" Extrusion  
4"/101.6mm  
Extrusion  
Included



6" Extrusion  
6"/152.4mm  
Extrusion  
\$11



8" Extrusion  
8"/203.2mm  
Extrusion  
\$21

Control the height of your Space Beam with an upright extrusion.

## BEAM LENGTH

Step 4

32 - 32"/812.8mm	36 - 36"/812.8mm	38 - 38"/812.8mm	40 - 40"/812.8mm	44 - 44"/812.8mm	48 - 48"/812.8mm
\$221	\$238	\$247	\$258	\$277	\$300


Custom beam lengths are available upon request and are priced at \$5 per inch.

## COLOR


Step 5




**Platinum**  
*PLT*



**White**  
*WHT*



**Black**  
*BLK*



**Champagne**  
*CHM*

## SPACE BEAM 1 AND 2 MOUNTS


Step 6



Default Profile is FM (Front Mount)  
4"/101.6mm from front of beam to  
back of post. Will ship with Standard  
unless otherwise specified.

**Front Mount**  
*FM*

Standard for Space Beam 1  
Optional for Space Beam 2



**End Mount**  
*EM*

Standard Space Beam 2  
Use for stacking applications.



**Low Profile**  
*L*

2.5"/63.5mm from face of beam to back  
of post. Optional mount for Space Beam 1

Beams can either mount in front of the extrusion (Front Mount) or integrate into extrusion (End Mount).

# SPACE BEAM ORGANIZATIONAL TOOLS

Step 7

## SpaceBeam 1

## SpaceBeam 2

Code	Description	Price	Code	Description	Price
Accessories					
SBXS01-BLK	Corner Shelf Beam Mount (Black only)	\$210	SB2A101	In/Out Tray Beam Mount	\$157.50
SBA01	In/Out Tray Beam Mount	\$157.50	SB2ABR1	Binder Rack Beam Mount	\$126
SBABR1	Binder Rack Beam Mount	\$126	SBVS02	Vase Beam Mount	\$26.25
SBVS01	Vase Beam Mount	\$60.90	SBATS1	Telephone Shelf Beam Mount	\$84
SBATS1	Telephone Shelf Beam Mount	\$84	SB2NP01-BLK	Note Pad Tray Beam Mount	\$29
SBNP01	Note Pad Tray Beam Mount	\$28.35	SBPC02	Pencil Cup Beam Mount	\$42
SBPC01	Pencil Cup Beam Mount	\$65.10	SB2FR01-BLK	File Rack Beam Mount	\$71.40
SBFR01	File Rack Beam Mount	\$71.40	SBAGS1	6"/152.4mm Glass Shelf Beam Mount	\$52.50
SBAGS1	6"/152.4mm Glass Shelf Beam Mount	\$52.50	SBAGS2	9"/228.6mm Glass Shelf Beam Mount	\$63
SBAGS2	9"/228.6mm Glass Shelf Beam Mount	\$63	SBAGS3	12"/304.8mm Glass Shelf Beam Mount	\$73.50
SBAGS3	12"/304.8mm Glass Shelf Beam Mount	\$73.50	SP01VM-ADJL4	Laptop Platform Beam Mount	\$378
SP01LPBM	Laptop Platform Beam Mount	\$357	BLK-LP-NL		
SP01BMTL	Telephone Arm Beam Mount	\$294			

## SpaceArm Monitor Arms

SA01BM	Standard SpaceArm Beam Mount	\$336	SA01VM-ADJL4	Standard SpaceArm Beam Mount	\$357
ST01BM	Stubby SpaceArm Beam Mount	\$178.50	ST01VM-ADJL4	Stubby SpaceArm Beam Mount	\$199.50
SP01BM	Stubby Plus SpaceArm Beam Mount	\$231	SP01VM-ADJL4	Stubby Plus SpaceArm Beam Mount	\$252
SA01XPBM	SpaceArm Extended Beam Mount	\$388.50	SA01XPVM-ADJL4	SpaceArm Extended Beam Mount	\$409.50
SX01BM	SpaceArm Long Beam Mount	\$367.50	SX01VM-ADJL4	SpaceArm Long Beam Mount	\$388.50
SS01BM	Sit-Stand SpaceArm Beam Mount	\$336	SS01VM-ADJL4	Sit-Stand SpaceArm Beam Mount	\$357
Wave Lights					
WLO1BM	Wave Light Beam Mount	\$367.50	WLO1VM-ADJL4	Wave Light Beam Mount	\$367.50
WLO2BM	Wave Light II Beam Mount	\$367.50	WLO2VM-ADJL4	Wave Light II Beam Mount	\$367.50

NOTE: Please see the SpaceArm and Wave Light pricing and specification sections for complete specs and additional configuration options.



ergonomic workplace solutions

## OPTIMA CPU HOLDERS

Adapt CPU holders are size adjustable and mount under the work surface without taxing leg-space. All holders can rotate 360 degrees making the CPU accessible from the front and back.

Adapt offers two compact and flexible CPU holder options that will blend into any office environment. They are available in a single or double extension track length, providing a wide range of positioning options. The simplicity and flexibility of the breathable fabric mesh sleeve encapsulates valuable hardware with the "Elevator." If your security needs are more stringent, "The Standard" is your solution as it comes with a locking kit.

### Elevator CPU Holder

ELVTR

360 degree rotation for easy access to cords, cables and maintenance.




Adjustable mesh sling accommodates CPUs of varying sizes and laptops as well.



### Technical Specs

- Supports up to 45lbs (20.4kg)
- Non-locking
- Adjustment key for tightening/loosening fabric mesh
- 360 degree swivel
- Grey fabric mesh 10" W (254mm)
- Black track
- Grey CPU holder



Single Extension Track

Adapt Ergonomics/Adapt Global  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)



ergonomic workplace solutions


## OPTIMA CPU HOLDERS

Adapt CPU holders are size adjustable and mount under the work surface without taxing leg-space. All holders can rotate 360 degrees making the CPU accessible from the front and back.

### The Standard Optima CPU Holder CNCH01



Optional locking kit available for added security.



#### Technical Specs

- Supports up to 55lbs (24.94kg)
- Optional locking kit available
- 360 degree swivel
- 5.375"-9.75" (136.525mm x 247.65mm) adjustable depth
- 11.75"-20.62" (298.45mm x 523.74mm) adjustable height
- 13.75"-20.25" (349.25mm x 514.35mm) adjustable width
- Black track
- Black CPU holder

#### Benefits

- Security - Keep your hardware and valuable data safe.
- Storage - Affix equipment under work surface to maximize space and avoid potential hazards.
- Organization - CPU and associated cables are easily accessible and neatly tucked away.
- Ergonomic - Simplicity of use.
- Space - Optimize space under the work surface.
- Safety - Reduces static build up and improves air flow.
- Environment - Sustainable design solution.

#### Environmental Design Attributes

- Standard:
  - Steel components with black powder coat
  - Recycled content-25%
  - Recyclable 100%
- Elevator:
  - Steel components with black powder coat
  - Recycled content-25%
  - Recyclable 100%
- Cardboard Packaging:
  - Recycled content-75%
  - Recyclable after use-100%
- Plastic Packaging:
  - Low density polyethylene
  - Recycled content-30%
  - Recyclable after use-100%


Adapt Ergonomics/Adapt Global  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)

# SELECT YOUR CPU HOLDER

## STYLE

Step 1




### Optima CPU Holder (The Standard)

*CPU-EE*

Secure and store CPUs up to 55 lbs/24.94kg

Adjustable metal CPU holder

**\$220**



### Elevator CPU Holder

*ELVTR*

Adjustable to fit any CPU up to 50"/1270mm

Supports CPUs up to 50 lbs/22.67kg

Adjustable fabric CPU holder

**\$157.50**


## TRACK

Step 2



### Direct Mount

*Included*




### Single Extension Track

*02*

17.75"/450.85mm long x 3.5"/88.9mm wide

**\$31.50**



### Full Extension Track


*03*

28.75"/730.25mm long x 3.5"/88.9mm wide  
Extends beyond work surface.

**\$63**

## LOCK

Step 3



Locking Kit is available on the CPUEE model only.

*LL0022*

**\$33**

**Adapt Ergonomics/Adapt Global**

17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)**

**[infousa@adapt-global.com](mailto:infousa@adapt-global.com)**





ergonomic workplace solutions

## THIN CPU HOLDER

The Thin CPU Holder lifts the CPU from the desk, and secures it. This reduces the risk of damage to the CPU while freeing valuable space on the work surface.

### Overview

The Thin CPU Holder lifts the CPU from the desk, and secures it. This reduces the risk of damage to the CPU while freeing valuable space on the work surface. With integrated cable management options, the Thin CPU Holder boasts more than just spatial benefits. Furthermore, it improves user access to the CPU, making it an ergonomically efficient workspace solution. Three mounting options ensure a perfect fit for each user.

### Wall Mounted Thin CPU Holder



### Base Mounted Thin CPU



### Vesa Mounted Thin CPU Holder



Call Us For Pricing

Adapt Ergonomics/Adapt Global  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011


1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)

# VESA MOUNTED THIN CPU HOLDER

## VESA MOUNTED THIN CPU HOLDER

### Key Benefits

- The Vesa Mounted Thin CPU Holder is fixed between the Monitor Arm Vesa plate and the back of the monitor, freeing workspace and improving user access to the CPU.
- Cables are free to pass through the Vesa Mounted Holder via cut-outs.
- The holder fits the majority of thin CPU's due to a built-in size adjustment of 20mm.
- The Thin CPU Holder functionality separates the device into two halves: one half is affixed to the back of the monitor, the other is fixed to the Vesa plate. The halves are slotted together and fixed in position, securing the CPU.
- Manufactured in aluminum to be lightweight.



### Technical Overview

- Powder coated finish in platinum, black, or white as standard. Custom color availability based on order volume.
- Thin client size: width 80-230mm / depth up to 65mm
- Adjustment: 20mm via (4x) M4 screws
- Mounting: via (8x) M4 screws
- Construction: 2mm formed aluminum sheet
- Packaging: individually wrapped, bulk packed

**Call Us For Pricing**

## BASE MOUNTED THIN CPU HOLDER



### Key Benefits

- The Base Mounted Thin CPU Holder is fixed between the base of the SpaceArm and the hub. This allows rotational movement, and thus, flexible positioning.
- Slots on either side allow for straps or adhesive strips to be looped around the thin CPU for extra hold.

### Technical Overview

- Powder coated finish in platinum, black, or white as standard. Custom color availability based on order volume.
- Thin client size: depth up to 66mm
- Mounting: clamped between SpaceArm base and hub
- Construction: 2mm cold rolled steel
- Packaging: individually wrapped, bulk packed

**Call Us For Pricing**

**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)**  
**[infousa@adapt-global.com](mailto:infousa@adapt-global.com)**

## SLATE RAIL THIN CPU HOLDER




The Wall Mounted Thin CPU Holder has three available hook options, making it compatible with the majority of slat walls.

### Key Benefits

- The Wall Mounted Thin CPU Holder has three available hook options, making it compatible with the majority of slat walls.
- The minimal, slim design of the Thin CPU Holder complements any office furniture.
- Slots on either side allow for straps or adhesive strips to be looped around the thin CPU for extra hold.

### Technical Overview

- Powder coated finish in platinum, black, or white as standard. Custom color availability based on order volume.
- Thin client size: depth up to 66mm
- Mounting: via clips (included)
- Construction: 2mm cold rolled steel
- Packaging: individually wrapped, bulk packed



**Call Us For Pricing**



ergonomic workplace solutions

## MONITOR ARMS

---



**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011


**1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)**  
**[infousa@adapt-global.com](mailto:infousa@adapt-global.com)**

# SELECT YOUR SPACEARM MONITOR ARM

## MODEL OPTIONS

### Step 1


SpaceArm Model Options are listed from page 16 to 19.



#### SpaceArm Single

SA01 **\$294**

- 360 degree monitor rotation
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern




#### Stubby Single Arm

ST01 **\$136.50**

- 360 degree monitor rotation
- Non-gas lift mechanism
- Moves horizontally
- Moves vertically
- Landscape & portrait rotation
- Up to 16.5"/419.1mm H, 8.2"/208.82mm D
- VESA hole pattern

4"/101.6mm column - standard  
6"/152.4mm column - add \$10  
8"/203.2mm column - add \$20




#### Stubby Plus Single Arm

SP01 **\$189**

- 360 degree monitor rotation
- Non-gas lift mechanism
- Moves horizontally
- Moves vertically
- Landscape & portrait rotation
- Up to 18.5"/469.9mm H, 14.8"/375.92mm D
- VESA hole pattern

4"/101.6mm column - standard  
6"/152.4mm column - add \$10  
8"/203.2mm column - add \$20



#### SpaceArm E tended

SA01XP **\$346.50**

- 360 degree monitor rotation
- 27"/685.8mm extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern

### Important Notes

Additional gas struts are available to accommodate monitors of 2 to 10 lbs / .907kg to 4.53kg or 15 to 30 lbs / 6.80kg to 13.60kg at no additional charge. **MUST be specified at time of order.**

Model#: 400


(2 to 10 lbs / .907kg to 4.53kg - light weight)

Model#: 1000

(15 to 30 lbs / 6.80kg to 13.60kg - heavy duty)

# MODEL OPTIONS


Step 1 continued



## Sit-Stand Single Arm

SS01 **\$294**


- 360 degree monitor rotation
- 19.5"/495.3mm extension
- 22.17"/563.11mm height extension
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## SpaceArm Long

SX01 **\$325.50**


- 360 degree monitor rotation
- 24.5"/622.3mm extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## SpaceArm Long Extended

SX01XP **\$378**


- 360 degree monitor rotation
- 31"/787.4mm extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## SpaceArm Direct Tilt

SD01 **\$294**


- 360 degree monitor rotation
- 15.5"/393.7mm extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## Sit-Stand Double SpaceArm

SS02 **\$588**

- Two sit-stand monitor arms on a single hub
- 360 degree monitor rotation
- 19.5"/495.3mm extension
- 22.17"/563.11mm total height extension
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## SpaceArm Double Standard


SA02 **\$588**

- Two standard monitor arms on single hub
- 360 degree monitor rotation (each arm)
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



# MODEL OPTIONS

Step 1 continued



## SpaceArm Double Two-Tier

SA11 \$588


- Tiered stacking of two standard monitor arms on a single hub
- 360 degree monitor rotation
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## Double Hub and Single SpaceArm

SA012 \$315


- Double hub with single SpaceArm
- 360 degree monitor rotation
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## SpaceArm Quad Two-Tier

SA44 \$2,352


- Tiered stacking of four double hub standard monitor arms
- 360 degree monitor rotation
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## SpaceArm Quad

SA04 \$1,176

- Four standard monitor arms on a single hub
- 360 degree monitor rotation
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## SpaceArm Double Two-Tier

SA22 \$1,176

- Tiered stacking of two double hub standard monitor arms
- 360 degree monitor rotation
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" | +/-177.8mm
- Landscape & portrait rotation
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*
- VESA hole pattern



## SpaceArm Quick Change Multi-Flex

SA01QC-MF-Color \$325.50



# MODEL OPTIONS

Step 1 continued


## Single Arm Dual Monitor SpaceArm

SMM02QC / SA01NK **\$514.50**

Length of extrusion:  
Fits 2; 24" 609.6mm  
widescreen monitors

Available weight ranges:  
2-10lbs. 5-16lbs. or 15-30lbs.  
0.9-4.5kg 2.67-7.25kg or 7-14kg

*\* Hub and Mount are ordered separately*




## Dual Monitor Dual Arm SpaceArm

SMM22QC / SA02NK **\$787.50**

Length of extrusion:  
Fits 2; 24" 609.6mm  
widescreen monitors

Available weight ranges:  
2-10lbs. 5-16lbs. or 15-30lbs.  
0.9-4.5kg 2.67-7.25kg or 7-14kg

*\* Hub and Mount are ordered separately*




## Three Monitor Dual Arm SpaceArm

SMM23QC / SA02NK **\$861**

Length of extrusion:  
Fits 2; 24" 609.6mm  
widescreen monitors


Available weight ranges:  
2-10lbs. 5-16lbs. or 15-30lbs.  
0.9-4.5kg 2.67-7.25kg or 7-14kg

*\* Hub and Mount are ordered separately*




## MONITOR MOUNT

Step 2



**Direct Mount**  
*Included*

This is our standard monitor mount that comes with all arms unless otherwise specified.



**Quick Change**  
*QC*     **\$11 per arm**

Allows users or IT to switch monitors out by pressing the quick release tabs.

## SPACEARM SURFACE MOUNT

Step 3



**Grommet Mount**  
*GT*  
**\$42**



**Large C-Clamp**  
*CL*  
**\$42**



**C-Clamp**  
*CC*  
**\$42**



**Above Desk Clamp**  
*AC*  
**\$42**



**Bolt Through**  
*BT*  
**\$15.75**

**C-Clamp Multi-Flex Mount**  
*HBOOMFCC-12*  
**\$84**



*PATENT PENDING*

**Bolt-Thru Multi-Flex Mount**  
*HBOOMFBT-12*  
**\$63**



*PATENT PENDING*

**Vertical Mount:** A variety of vertical mounts are available. See your Adapt Rep or visit [www.adapt-global.com](http://www.adapt-global.com) for details.  
*VM*

## COLOR


Step 4



**Platinum**  
*PLT*



**White**  
*WHT*



**Black**  
*BLK*



**Champagne**  
*CHM*

## ADDITIONAL SPACEARM OPTIONS AND CONVERSIONS

### Step 5

Product Code	Description	Price
<i>KNU006</i>	Quick Change Knuckle with VESA mounting plate	\$31.50
<i>KNU001</i>	Direct Mount Knuckle with VESA mounting plate	\$31.50
<i>SSB015</i>	180 Degree Rotational Stop option for monitor arms	\$10.50
<i>SSB004</i>	Security Set Screw option added security	\$21
<i>SSB019</i>	Touch Screen Screw and Knob option for monitor arms	\$42
<i>XP0011</i>	Standard to Extended (XP) conversion piece	\$52.50
<i>XT4</i>	4"/101.6mm height extension tube with bolt and hardware. Attaches to existing hub to add additional height to monitor arm hub	\$21
<i>XT6</i>	6"/152.4mm height extension tube with bolt and hardware. Attaches to existing hub to add additional height to monitor arm hub	\$31.50
<i>XT8</i>	8"/203.2mm height extension tube with bolt and hardware. Attaches to existing hub to add additional height to monitor arm hub	\$42
<i>XT10</i>	10"/254mm height extension tube with bolt and hardware. Attaches to existing hub to add additional height to monitor arm hub	\$52.50

**NOTE:** Height extension tubes can be customized at \$5 per inch


<i>SAM139</i>	Omega monitor arm cable clip (black only)	\$5.25
<i>SAM135</i>	Large Omega monitor arm cable clip (black only)	\$3.15
<i>SAM366</i>	5.11"/130mm bolt for 1 tier Bolt Through mount with hardware	\$10.50
<i>SAM367</i>	1.37"/35mm bolt for 1 tier C-Clamp, Large C-Clamp and Grommet mounts with hardware	\$10.50
<i>SAM369</i>	6"/152.4mm bolt through screw with hardware	\$10.50
<i>SAM362</i>	8"/203.2mm bolt through screw with hardware	\$10.50
<i>SAM368</i>	6"/152.4mm bolt for C-Clamp, Large C-Clamp and Grommet mounts with hardware	\$10.50
<i>SAM364</i>	8"/203.2mm bolt for C-Clamp, Large C-Clamp and Grommet mounts with hardware	\$10.50
<i>HB-SEC</i>	Security Hub	\$21
<i>SSB003</i>	Security Torx Screws for monitor	\$10.50



ergonomic workplace solutions

## LAPTOP PLATFORMS

---



**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)



ergonomic workplace solutions

# VERTICAL LAPTOP SOLUTION

The Vertical Laptop Solution mounts a laptop to a monitor arm, suspending it from the work surface.



The Vertical Laptop Solution mounts a laptop to a monitor arm, suspending it from the work surface. This maximizes space, protects the laptop and brings it to an ergonomically efficient height—at eye level with the user. The user is able to regard the laptop screen as a desktop monitor.

## Key Benefits

- Sturdy, durable, and secure
- Maximizes space efficiency, brings laptop to ergonomic height
- Reduces spills and damage to laptop by suspending it from work surface

## Technical Overview

- Construction:
  - Molded steel
  - Mounts to the 75mm - 100mm VESA plates
- Finish & Color: powder coated, black
- Packaging: one per box



### Product Code

SA00LPV-BLK

### Description

Vertical Laptop Platform w/Adapter Plate Hardware

### Price

\$126

# CREATE YOUR LAPTOP PLATFORM

## MODEL OPTIONS

### Step 1

Laptop Platform Model Options. \* Pricing is without Mount



#### SpaceArm Single Arm with Laptop Platform

SA01LP \$483

- 27"/685.8mm extension
- Black laptop platform
- 360 degree rotation
- 12.75"/323.85mm W, 15.5"/393.7mm L
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" +/-177.8mm
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*



#### Stubby Single Arm with Laptop Platform ST01LP

\$284

- Non-gas lift mechanism
  - Black laptop platform
  - 360 degree rotation
  - 12.75"/323.85mm W, 15.5"/393.7mm L
  - Moves front to back
  - Moves side to side
- 4"/101.6mm column - standard  
6"/152.4mm column - add \$10  
8"/203.2mm column - add \$20




#### Stubby Plus Single Arm with Laptop Platform

SP01LP \$336

- Non-gas lift mechanism
  - Black laptop platform
  - 360 degree rotation
  - 12.75"/323.85mm W, 15.5"/393.7mm L
  - Moves front to back
  - Moves side to side
- 4"/101.6mm column - standard  
6"/152.4mm column - add \$10  
8"/203.2mm column - add \$20

#### SpaceArm Extended with Laptop Platform

SA01XPLP \$494



- 33"/838.2mm extension
- black laptop platform
- 360 degree rotation
- 12.75"/323.85mm W, 15.5"/393.7mm L
- moves front to back
- moves side to side
- 20.5"/520.7mm standard extension
- standard height extension is +/- 7" +/-177.8mm
- standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*

### Important Notes

Additional gas struts are available to accommodate monitors of 2 to 10 lbs / .907kg to 4.53kg or 15 to 30 lbs / 6.80kg to 13.60kg at no additional charge.

**MUST be specified at time of order.**

Model#: 400

(2 to 10 lbs / .907kg to 4.53kg - light weight)

Model#: 1000

(15 to 30 lbs / 6.80kg to 13.60kg - heavy duty)

# MODEL OPTIONS

Step 1 continued



## SpaceArm Long with Laptop Platform

SX01LP **\$515**

- 33.5"/850.9mm extension
- Black laptop platform
- 360 degree rotation
- 12.75"/323.85mm W, 15.5"/393.7mm L
- Moves front to back
- Moves side to side
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" +/-177.8mm
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*



## SpaceArm Sit-Stand Laptop Platform

SS01LP **\$483**


- 25.5"/647.7mm extension
- Black laptop platform
- 360 degree rotation
- 12.75"/323.85mm W, 15.5"/393.7mm L
- Moves front to back
- Moves side to side
- 20.5"/520.7mm standard extension
- Standard height extension is +/- 7" +/-177.8mm
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*



## Double Hub SpaceArm with Laptop Platform

SA012LP **\$756**


- 27"/685.8mm extension
- Black laptop platform
- 360 degree rotation
- 12.75"/323.85mm W, 15.5"/393.7mm L
- Moves front to back
- Moves side to side
- Standard height extension is +/- 7" +/-177.8mm
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*



## Double Hub SpaceArm Extended with Laptop Platform

SA012XLP **\$809**

- 33"/838.2mm extension
- Black laptop platform
- 360 degree rotation
- 12.75"/323.85mm W, 15.5"/393.7mm L
- Moves front to back
- Moves side to side
- Standard height extension is +/- 7" +/-177.8mm
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*



## Double Hub Sit-Stand SpaceArm with Laptop Platform

SS012LP **\$756**

- 25.5"/647.7mm extension
- Black laptop platform
- 360 degree rotation
- 12.75"/323.85mm W, 15.5"/393.7mm L
- Moves front to back
- Moves side to side
- Standard height extension is +/- 7" +/-177.8mm
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*


## MODEL OPTIONS

Step 1 continued



**Double Hub SpaceArm Long with Laptop Platform** SX012LP **\$788**

- 33.5"/850.9mm extension
- Black laptop platform
- 360 degree rotation
- 12.75"/323.85mm W, 15.5"/393.7mm L
- Moves front to back
- Moves side to side
- Standard height extension is +/- 7" +/-177.8mm
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*



**Double Hub SpaceArm Long Extended with Laptop Platform** SX012XPLP **\$840**

- 40"/1016mm extension
- Black laptop platform
- 360 degree rotation
- 12.75"/323.85mm W, 15.5"/393.7mm L
- Moves front to back
- Moves side to side
- Standard height extension is +/- 7" +/-177.8mm
- Standard adjustable weight ranges from 5 lbs to 16 lbs / 2.26kg to 7.25kg\*\*

## SPACEARM SURFACE MOUNT

Step 2



**Grommet Mount**  
GT  
**\$42**



**Large C-Clamp**  
CL  
**\$42**



**C-Clamp**  
CC  
**\$42**



**Above Desk Clamp**  
AC  
**\$42**



**Bolt Through**  
BT  
**Included**

### C-Clamp Multi-Flex Mount

HB00MFCC-12  
**\$84**



PATENT PENDING

### Bolt-Thru Multi-Flex Mount

HB00MFBT-12  
**\$63**



PATENT PENDING

**Vertical Mount:** A variety of vertical mounts are available. See your Adapt Rep or visit [www.adapt-global.com](http://www.adapt-global.com) for details.  
VM

## COLOR

Step 3



**Platinum**  
PLT



**White**  
WHT



**Black**  
BLK



**Champagne**  
CHM

## OPTIONAL LOCK

### Laptop Lock

LL **\$42**

The underside of the laptop platform features four points to attach the laptop lock.



## KEYBOARD PLATFORMS & MECHANISMS ---




Optima keyboard platforms provide unlimited user flexibility in virtually any work environment.

# SELECT YOUR KEYBOARDING SYSTEM

## MECHANISM

Step 1



### Optima 3000

OP30 **\$330\***

- 15 degree negative tilt
- Adjusts 2.25"/57.15mm above work surface
- Adjusts 6.13"/155.7mm below work surface
- Knob adjustment with indicators for both height and tilt
- 21"/533.4mm track length and 12"/304.8mm of travel
- 360 degree swivel
- Positive tilt lock out
- Patented Lift-n-Lock adjustment
- Exceeds ANSI/BIFMA standards
- Ideal for corner units



### Optima 3500

OP35 **\$330\***

- 20 degree negative tilt
- Adjusts 3"/76.2mm above work surface
- Adjusts 5"/127mm below work surface
- Dial adjustment for tilt
- 360 degree swivel
- 17.75"/450.85mm track length
- Patented Lift-n-Lock adjustment
- Exceeds ANSI/BIFMA standards
- Ideal for corner or short returns



### Optima 5000 - Sit-Stand

OP50 **\$385\***

- 20 degree negative tilt
- Adjusts 7"/177.8mm above work surface
- Adjusts 5.5"/139.7mm below work surface
- Dial adjustment for tilt
- 12.5"/317.5mm total height adjustment range
- 360 degree swivel
- 23"/584.2mm track length
- Easily adjusts from sitting to standing position with lift & release technology
- Exceeds ANSI/BIFMA standards

\* Prices for mechanisms include any keyboard platform listed on the next page. Any keyboard platform can be paired with any mechanism.

# PLATFORM

Step 2



## Optima 24 Keyboard Platform

24

- 24"/609.6mm wide x 11.5"/292.1mm deep
- Designed for space challenged areas
- Knob tilt adjustment



## Optima 27 Keyboard Platform

27

- 27"/685.8mm wide x 11"/279.4mm deep
- Designed for users who prefer mouse & keyboard in one continuous area
- Accommodates mouse on the left or right



## Optima Radius Keyboard Platform

RP

- 21.75"/552.45mm wide x 10.5"/266.7mm deep
- 9.75"/247.65mm wide mouse platform
- Designed for users who type in a negative position & allows the mouse pad to independently adjust to positive or negative position
- Mouse platform can be set up on left or right side



## Optima 27 Cut Corner Keyboard Platform

27CB

- 27"/685.8mm wide x 11"/279.4mm deep
- Designed to clear corner work surfaces while providing a continuous mouse & keyboard platform



## Optima 24 Cut Corner Keyboard Platform

24CB


- 24"/609.6mm wide x 12"/304.8mm deep
- Designed to clear corner work surfaces while providing a continuous mouse & keyboard platform



## Corner Bridge

CB01 \$165

- 21"/533.4mm wide x 11.75"/298.45mm deep
- 9.75"/247.65mm wide mouse platform
- Designed to convert a corner into a keyboard platform with wrist rest accompanied by a mouse pad



## Corner Maker

CM2200 \$132

- 22"/558.8mm wide x 12"/304.8mm deep
- Designed to convert a corner into a keyboard platform

\* Prices for keyboard trays are included in the prices for keyboard mechanisms listed on the previous page. Any keyboard platform can be paired with any mechanism.

## WRIST REST

Step 3

Product Code	Description	Price
Standard	Polyurethane (DEFAULT Palm Rest)	NC
E	Gel	NC
V	Vinyl	NC
LP	Low Profile - for RP Keyboards choose LP or GEL only for mouse pad	NC

## MOUSE PROFILE

Step 4

### Wrist Rests

Wrist rest options include Vinyl, Gel or Polyurethane.



RP platforms options include, a Gel or Low Profile mouse pad.



### Environmental Design Attributes

Optima:

- Recycled content of steel - 25%
- Recyclable aluminum after use - 100%

Cardboard Packaging:

- Recycled content - 75%
- Recyclable after use - 100%

Plastic Packaging:

- Low density polyethylene
- Recycled content - 30%
- Recyclable after use - 100%
- Exceeds ANSI/BIFMA X5.5 Industry Standard

### Benefits

- Storage - Keyboard and mouse are properly stored and positioned.
- Organization - User-friendly and efficient workstation yields increased productivity.
- Ergonomic - Helps implement sound 'human factors' practices and principles.
- Space - Keeps keyboard and mouse off of usable work space.
- Future Proof - Platforms are interchangeable using any mechanism.

### Corner Solutions

Convert a corner into a keying platform.



#### Corner Bridge

*CBO1*

21"/533.4mm W x 11.75"/298.45mm D and mouse platform 9.75"/247.65mm D



#### Corner Maker

*CM2200*

22"/558.8mm W x 12"/304.8mm D x 2.5"/63.5mm H



ergonomic workplace solutions

## PELICAN DRAWERS STORAGE SOLUTIONS

A unique and discreet storage solution that provides unrestricted movement under work surfaces. The Pelican Drawer can accommodate a variety of items such as hanging files, handbag storage, cash boxes, laptops, tablets, and personal items.

### Pelican I

PD0011

\$220

Pelican I provides space for pens, pencils, paper clips and other office supplies. It contains a deep bin in the back of the drawer for personal items or hanging files. Pelican I is the perfect alternative to a center drawer which can create spatial issues.

- 19 1/2" W x 23 3/8" D x 2 1/2" H (front) x 10" H (bin) / 495.3mm x 548.2mm x 63.5 mm x 254.0mm
- Leg room 13" D (front edge to bin) 330.2mm
- ANSI-BIMFA rated 75 lbs at 18" extension



### Pelican II

PD0051

\$242

Pelican II features a keyboard tray or laptop tray in the front with a large capacity storage bin in the back. The Pelican II is an excellent choice when computer users need to maximize space efficiencies with a stationary neutral keyboard position and create additional storage space for personal items and hanging files. It is excellent for all facility applications, call centers, healthcare, financial, and institutional environments.

- 24 1/4" W x 23 3/8" D x 2 3/4" H (front) x 10" H (bin) / 615.95mm x 584.2mm x 69.85mm x 254.0mm
- Leg room 14" D (front edge to bin) 355.6mm
- ANSI-BIMFA rated 75 lbs at 18" extension



### Pelican III

PD0071

\$220

Pelican III features a keyboard tray or laptop tray that can be pulled out when needed and secured when not in use.

- 24 1/4" W x 17 1/4" D x 2 3/4" H (front) / 615.95mm x 438.15mm x 69.85mm x 355.6mm
- Desirable for users with 18" D (457.2mm) casegood applications and/or mandatory laptop security requirement
- Leg room 14" D (front edge to bin) 355.6mm
- Back bin 20 3/8" W / 509.0mm
- ANSI-BIMFA rated 75 lbs at 18" extension



**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)

## PELICAN DRAWERS STORAGE SOLUTIONS

**Pelican I Locking Lid**  
PL0011  
**\$66**




**Pelican I File Rods**  
FB0011  
**\$6.60**



**Pelican II File Rods**  
FB0031  
**\$6.60**



**Pelican II Mouse Tray & Trap**  
MT0011  
**\$44**



**Pelican I & II Mounting Clamp**  
IK0011  
**\$66 net**




**Pelican III Laptop Lock**  
LL0011  
**\$44**



**Pelican III Locking Lid**  
PL0051  
**\$77**



**Pelican III Mounting Clamp**  
IK0012  
**\$66 net**



**All Models - Master Key**  
HW0018  
**\$8.80**



**All Models Lock Core and Keys**  
HW0021  
**\$11**





ergonomic workplace solutions

## SCISSOR LIFTS

---



**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)

# SCISSOR LIFTS

## Step 1

Flexible for standing environments and designed to accommodate multiple user preferences. Easy adjustment for ergonomic consideration.



**Scissor Lift 21**  
SL021  
21"/533.4mm Wide



**Scissor Lift 24**  
SL024  
24"/609.6mm Wide



**Scissor Lift 27**  
SL027  
27"/685.8mm Wide

Product Code	Description	Price
SL021	21"/533.4mm Wide Scissor Lift. 11"/279.4mm Deep and extends to 9.25"/234.95mm High.	\$385
SL024	24"/609.6mm Wide Scissor Lift. 11"/279.4mm Deep and extends to 9.25"/234.95mm High.	\$385
SL027	27"/685.8mm Wide Scissor Lift. 11"/279.4mm Deep and extends to 9.25"/234.95mm High.	\$385





ergonomic workplace solutions

## ILS - INTEGRATED LEVITATION SYSTEM

SIT-STAND HEIGHT ADJUSTABLE SOLUTIONS




**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)

# ILS FREESTANDING

## MODEL

Step 1



### Two Leg Free Standing

ILS2-FS

- Comes with remote & controller
- Raise or lower one or more worksurfaces from 22"/558.8mm to 49"/1244.6mm
- Each leg accommodates 175 lbs/79.37kg
- Thrust up to 800 N
- Speed up to 43 mm/s unloaded
- Low noise level
- Low power consumption in standby mode
- Protection against overload
- Base leg 23"/584.2mm L x 3"/76.2mm W



### Three Leg Free Standing

ILS3-FS

- Comes with remote & controller
- Raise or lower one or more worksurfaces from 22"/558.8mm to 49"/1244.6mm
- Each leg accommodates 175 lbs/79.37kg
- Thrust up to 800 N
- Speed up to 43 mm/s unloaded
- Low noise level
- Low power consumption in standby mode
- Protection against overload
- Base leg 23"/584.2mm L x 3"/76.2mm W



### Three Leg Free Standing 120°

ILS3-FS-120

- Comes with remote & controller
- Raise or lower one or more worksurfaces from 22"/558.8mm to 49"/1244.6mm
- Each leg accommodates 175 lbs/79.37kg
- Thrust up to 800 N
- Speed up to 43 mm/s unloaded
- Low noise level
- Low power consumption in standby mode
- Protection against overload
- Base leg 23"/584.2mm L x 3"/76.2mm W

## BASE SUPPORT

Step 2

Price is per support. Base Supports are the beams that span the legs. Legs can be ordered without base supports, talk to your rep first.

ILS 2			ILS 3			ILS 120		
Code	Description	Price	Code	Description	Price	Code	Description	Price
36	36" straight base support	\$1,980	48L	48" base support left	\$1,485	42-42	42" x 42" Table Top	\$2,970
42	42" straight base support	\$1,980	48R	48" base support right	\$1,485	48-48	48" x 48" Table Top	\$2,970
48	48" straight base support	\$1,980	60L	60" base support left	\$1,485	60-60	60" x 60" Table Top	\$2,970
54	54" straight base support	\$1,980	60R	60" base support right	\$1,485			
60	60" straight base support	\$1,980	72L	72" base support left	\$1,551			
72	72" straight base support	\$2,046	72R	72" base support right	\$1,551			

Middle third leg included when ILS 3 and ILS 120 are selected. Left and right base supports are required for ILS 3. Add price for left and price for right to get your cost for ILS 3. All prices include analog remote. Digital remote add \$99.


Measurement conversions inches to millimeters for base support: 36"/914.4mm | 42"/1066.8mm | 48"/1219.2mm | 54"/1371.6mm | 60"/1524mm | 72"/1828.8mm

## COLOR


Step 3



**Platinum**  
PLT



**White**  
WHT



**Black**  
BLK



**Champagne**  
CHM

Custom colors are available with minimum quantities. Contact your Adapt Rep to discuss your needs.

## REMOTE

Step 4



**Analog Remote and Controller**

A

**Included**



**Digital Remote and Controller**

D

**\$99**

## PRIVACY AND MODESTY PANELS

Step 5



**Privacy Panel**

Laminate and Fabric



**Modesty Panel**

Laminate



**Modesty Panel**

Fabric



**Modesty Panel**

Paint

Modesty Panel	48"/1219.2mm	60"/1524mm	72"/1828.8mm
Fabric	<b>Special Order Only</b>		
Paint			
Laminate			
Privacy Panel	48"/1219.2mm	60"/1524mm	72"/1828.8mm
Fabric	<b>Special Order Only</b>		
Acrylic			


IIS includes Cable Spine, Cable Hanger and required hardware in price.

# ILS CONVERT

## LEGS

Step 1

Lift columns & adaptive brackets designed to convert virtually any workstation to sit-stand



### Single Leg

ILS1 \$792

- Raise and lower range from 22"/558.8mm to 49"/1244.6mm
- Top support bracket 18.25"/463.55mm
- each leg accommodates 175 lbs /79.37kg
- thrust up to 800 N
- speed up to 43 mm/s unloaded
- low noise level
- low power consumption in standby mode
- protection against overload



### Double Leg

ILS2 \$1,782

- Raise and lower range from 22"/558.8mm to 49"/1244.6mm
- Top support bracket 18.25"/463.55mm
- Each leg accommodates 175 lbs /79.37kg
- Supports 30"/762mm wide surface
- Supports 72"/1828.8mm wide surface
- Thrust up to 800 N
- Speed up to 43 mm/s unloaded
- Low noise level
- Low power consumption in standby mode
- Protection against overload



### Triple Leg

ILS3 \$2,574

- Raise and lower range from 22"/558.8mm to 49"/1244.6mm
- Top support bracket 18.25"/463.55mm
- Each leg accommodates 175 lbs /79.37kg
- Supports 72"/1828.8mm wide to 96"/2438.4mm wide surfaces
- Thrust up to 800 N
- Speed up to 43 mm/s unloaded
- Low noise level
- Low power consumption in standby mode
- Protection against overload



### 120 degree 3 Leg Panel Mount

ILS3-PS120 \$2,673

- Raise and lower range from 22"/558.8mm to 49"/1244.6mm
- Top support bracket 8.25"/463.55mm
- Each leg accommodates 175 lbs /79.37kg
- Supports 72"/1828.8mm wide to 96"/2438.4mm wide surfaces
- Thrust up to 800 N
- Speed up to 43 mm/s unloaded
- Low noise level
- Low power consumption in standby mode
- Protection against overload

Adapt Ergonomics/Adapt Global  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)


## FEET

Step 2



**8.5" long**

Ideal for panel mount. Can also be used in a corner support application.



**20.5" long**

Ideal for 24"/609.6mm deep work surface free standing ILS.



**24" long**

Ideal for 30"/762mm deep work surface free standing ILS.




**T Leg**

No stabilizer beam required when using the T Leg.


## MOUNTS

Step 3



**Panel Mount**

*PSL (Left) or PSR (Right)*



**Race Main Beam Mount**

*RCM*




**Race Mini Beam Mount**

*RCN*


\* Verify panel system with factory prior to ordering.

## COLOR

Step 4




**Platinum**  
*PLT*



**White**  
*WHT*



**Black**  
*BLK*



**Champagne**  
*CHM*

Custom colors are available with minimum quantities.

## REMOTE

Step 5



**Analog Remote and Controller**  
*A*  
**Included**



**Digital Remote and Controller**  
*D*  
**\$99**

ILS includes Cable Spine, Cable Hanger and required hardware in price.

# ILS HEIGHT ADJUSTABLE PANEL SYSTEMS

PATENT PENDING

## PANELS



31.4" (800mm)  
In-Line Panel (AP800)

**Color:**

- White
- Custom

**Electrical Base Way:**

- With
- Without

**Notch Outs:**

- 1 Sided
- 2 Sided

Quantity \_\_\_\_\_

31.4" (800mm)  
End Panel

**Color:**

- White
- Custom

**Electrical Base Way:**

- With
- Without

**Notch Outs:**

- 1 Sided
- 2 Sided

Quantity \_\_\_\_\_



35.4" (900mm)  
In-Line Panel (AP900)

**Color:**

- White
- Custom

**Electrical Base Way:**

- With
- Without

**Notch Outs:**

- 1 Sided
- 2 Sided

Quantity \_\_\_\_\_

35.4" (900mm)  
End Panel

**Color:**

- White
- Custom

**Electrical Base Way:**

- With
- Without

**Notch Outs:**

- 1 Sided
- 2 Sided

Quantity \_\_\_\_\_



48.4" (1230mm)  
In-Line Panel (AP1230)

**Color:**

- White
- Custom

**Electrical Base Way:**

- With
- Without

**Notch Outs:**

- 1 Sided
- 2 Sided

Quantity \_\_\_\_\_

48.4" (1230mm)  
End Panel

**Color:**

- White
- Custom

**Electrical Base Way:**

- With
- Without

**Notch Outs:**

- 1 Sided
- 2 Sided

Quantity \_\_\_\_\_


# ILS HEIGHT ADJUSTABLE PANEL SYSTEMS

## CONNECTORS



4 WAY/X CONNECTOR

Quantity \_\_\_\_\_




3 WAY/T CONNECTOR

Quantity \_\_\_\_\_



2 WAY/L CONNECTOR

Quantity \_\_\_\_\_



END WAY/E CONNECTOR

Quantity \_\_\_\_\_



120 3 WAY/W CONNECTOR

Quantity \_\_\_\_\_



120 2 WAY/V CONNECTOR

Quantity \_\_\_\_\_



120 END WAY/120 ESUPPORT CONNECTOR

Quantity \_\_\_\_\_

## ILS SYSTEM

Step 3 Select between ILS 2 and ILS 3.

VISIT PAGE 50 to view your ILS system items which will include:

- Leg Configuration
- Surface Size | Worksurface Finish
- Remote Controller
- Feet
- Mount
- Color







ergonomic workplace solutions

# ILS HEIGHT ADJUSTABLE PANEL SYSTEM

## Configure Custom Panel System

Combine individual panels of various sizes to configure the SpaceCo custom panel system. Include an electrical base in your panels or not. Choose 1 or 2 notch outs for electrical bases. Determine panel connectors, electrical power, and finally, work surface size and finish (options and details listed below.) E-mail [infousa@adapt-global.com](mailto:infousa@adapt-global.com) to be connected to an Adapt product specialist for detailed assistance.

### Individual panel frame options and dimensions:

- Available Widths
  - 31-2/5" = frame 800 mm W
  - 35-2/5" = frame 900 mm W
  - 48-2/5" = frame 1230 mm W
- Heights
  - 46-1/2" = frame 1,181.1mm H
  - 50" = frame 1,270mm H
- Available Work Surface Sizes and Finishes
  - 72" Straight
  - 72" Mitered Corner Left or Right
  - White Laminate or custom color
- Accepts up to two panels (light taupe fabric) on either side

### Panel electrical/data configuration and options:

- 4" base raceway to meet electrical and data needs
- Lateral routing only in the base/Lay in base raceway
- Powerways can be removed in the field without having to disassemble the panel
- 8 wire, 4 circuit electrical with 2 x 2 capability
- EU/UK power available
- UL listed

### Electrical power options:

- Pass through jumper cable
- Power Pole
- Junction Box for Hard Wire
- 2 RJ45 Outlets
- Duplex receptacle outlet

### Panel connector options:

- 4 way/X connector
- 3 way/T connector
- 2 way/L connector
- End way/E connector
- 120 3 way/W connector
- 120 2 way/V connector
- 120 End way/120 E Connector

## Panel Details

- Segmented fabric
- Panel with inline connectors
- 3/8" thick with a tackable core
- Core material is compressed polyester
- Construct 90 or 120 degree environments with ease
- Lower installation costs with quick and easy installation
- Frames constructed of lightweight aluminum
- Horizontal reveal 22.5"
- Base frame 4"H
- 1" of adjustment on levelers
- Aluminum frame
- Powder coat finish - white

### Components:

- Work surfaces are 1-1/4" high pressure white laminate
- Edge detail 3mm abs edge white

### General:

- Meets all ANSI/BIFMA and fire testing criteria
- Product comes with 10 year manufacturer's warranty
- 5 day lead time

## Environmental Design Attributes

- ANSI-BIFMA level™ 5.5 certified
- BIFMA level™ pending certification
- Can contribute to achieving LEED® certification for Existing Buildings, Commercial Interiors and New Construction
- 20% recycled content aluminum
- 100% recyclable
- Fabric tiles available with 100% recycled content fabric
- Powder coating, water-based adhesive for fabrics, virtually VOC-free

# ILS HEIGHT ADJUSTABLE PANEL SYSTEMS

## PRICING

Code	Description	Price
AP000HW-J	Panel Hardware J Bracket w/screw	\$0
AP1203S-WHT	No Notchout Shroud for 1230mm Panel White	\$0
AP120CP2-WHT	2 way 120 degree corner post c/w top cap w/2j clips and 2 post connectors	\$80
AP120CP3-WHT	3 way 120 degree corner post c/w top cap w/2j clips and 3 post connectors	\$80
AP1230-1-0-1-WHT	1230mm Panel no notchout Inline White	\$552
AP1230-1-0-2-WHT	1230mm Panel no notchout To the End White w/Vertical End Trim	\$598
AP1230-1-1-1-WHT	1230mm Panel with 1 sided electric and data notchouts inline	\$575
AP1230-1-1-2-WHT	1230mm Panel one side notchout To the End White w/Vertical End Trim	\$621
AP1230-1-2-1-WHT	1230mm Panel with 2 sided electric and data notchouts inline	\$598
AP1230-1-2-2-WHT	1230mm Panel two sides notchout To the End White w/Vertical End Trim	\$644
AP1230B	1230 Panel Boards Front and Back Upholstered board	\$0
AP1230B-L	1230mm Panel Lower Upholstered board	\$0
AP1230B-U	1230mm Panel Upper Upholstered board	\$0
AP1230F	1230mm Panel Frame	\$495
AP1230S-EU-WHT	Notchout Shroud for 1230mm Panel White	\$0
AP1230S-WHT	No Notchout Shroud for 1230mm Panel White	\$0
AP1230T-E-WHT	Top to the End Trim for 1230mm Panel White	\$0
AP1230T-I-WHT	Top Inline Trim for 1230mm Panel White	\$0
AP800-1-0-1-WHT	800mm Panel no notchout Inline White	\$460
AP800-1-0-2-WHT	800mm Panel no notchout To the End White w/Vertical End Trim	\$506
AP800-1-1-1-WHT	800mm Panel with 1 sided electric and data notchouts inline	\$483
AP800-1-1-2-WHT	800mm Panel one side notchout To the End White w/Vertical End Trim	\$529
AP800-1-2-1-WHT	800mm Panel with 2 sided electric and data notchouts inline	\$506
AP800-1-2-2-WHT	800mm Panel two sides notchout To the End White w/Vertical End	\$552
AP800B	800mm Panel Boards Front and Back Upholstered board	\$0
AP800B-L	800mm Panel Lower Upholstered board	\$0
AP800B-U	800mm Panel Upper Upholstered board	\$0
AP800F	800mm Panel Frame	\$495
AP800S-EU-WHT	Notchout Shroud for 800mm Panel White	\$0
AP800S-WHT	No Notchout Shroud for 800mm Panel White	\$0
AP800T-E-WHT	Top to the End Trim for 800mm Panel White	\$0
AP800T-I-WHT	Top Inline Trim for 800mm Panel White	\$0

# ILS HEIGHT ADJUSTABLE PANEL SYSTEMS

## PRICING

Code	Description	Price
AP900-1-0-1-WHT	900mm Panel no notchout Inline White	\$483
AP900-1-0-2-WHT	900mm Panel no notchout To the End White w/Vertical End Trim	\$529
AP900-1-1-1-WHT	900mm Panel with 1 sided electric and data notchouts inline	\$506
AP900-1-1-2-WHT	900mm Panel one side notchout To the End White w/Vertical End Trim	\$552
AP900-1-2-1-WHT	900mm Panel with 2 sided electric and data notchouts inline	\$529
AP900-1-2-2-WHT	900mm Panel two sides notchout To the End White w/Vertical End Trim	\$575
AP900B	900mm Panel Boards Front and Back Upholstered board	\$0
AP900B-L	900mm Panel Lower Upholstered board	\$0
AP900B-U	900mm Panel Upper Upholstered board	\$0
AP900F	900mm Panel Frame	\$495
AP900S-EU-WHT	Notchout Shroud for 900mm Panel White	\$0
AP900S-WHT	No Notchout Shroud for 900mm Panel White	\$0
AP900T-E-WHT	Top to the End Trim for 900mm Panel White	\$0
AP900T-I-WHT	Top Inline Trim for 900mm Panel White	\$0
AP90CP2-WHT	2 way 90 degree corner post c/w top cap w/2j clips and 2 post connectors	\$80
AP90CP3-WHT	3 way 90 degree corner post c/w top cap w/3j clips and 3 post connectors	\$80
AP90CP4-WHT	4 way 90 degree corner post c/w top cap w/4j clips and 4 post connectors	\$80
CABM05BK-AP	Cable Spine w/additional 24 for Adapt Panel (no base)	\$94.50
ILS1AP-BL-WHT	1 ILS Adapt Panel Back Mount Left White	792



ergonomic workplace solutions

## WALL & CHANNEL SOLUTIONS

---



**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)

# SELECT YOUR WALL/COLUMN MOUNT SOLUTION

## MODEL


Step 1



### Specifications

Wall Channel includes:

- One-sided extruded aluminum
- Clear anodized aluminum
- 1.5"/38.1mm x 3"/76.2mm outside finished dimensions
- 1.375"/34.92mm x 2.75"/69.85mm inside finished dimensions



### Specifications


Columns include:

- Flange set
- Floor brackets
- 3"/76.2mm x 3"/76.2mm column
- 5"/127mm x 5"/127mm floor bracket

Wall channels must be anchored into wall studs by certified installation technician or contractor. Includes wire manager cover to be custom cut in the field. No adaptive hardware is shipped.

Wall Code	Column Code	Description	Column	Price
CMC003	CHM	36"/914.4mm	\$91	\$59.85
CMC004	CHM	48"/1219.2mm	\$122	\$79.80
CMC005	CHM	60"/1524mm	\$152.25	\$99.75
CMC006	CHM	72"/1828.8mm	\$182.70	\$119.70
CMC007	CHM	84"/2133.6mm	\$213.15	\$140
CMC008	CHM	96"/2438.4mm	\$243.60	\$160

## COLUMN OPTIONS



96" 2438mm  
84" 2136mm  
72" 1828mm  
60" 1524mm  
48" 1219mm  
36" 914mm

96" 2438mm  
84" 2136mm  
72" 1828mm  
60" 1524mm  
48" 1219mm  
36" 914mm



ergonomic workplace solutions

## WALL CHANNEL SOLUTIONS

Maximize limited spaces with a floor-to-ceiling Column or Wall Channel workstation solution.


### SPECIFICATIONS

Columns are sold by the foot  
 Columns include cover, flange set and floor brackets  
 - Any length over 102" will require a freight quote


Column Cover:  
 - Black plastic can be cut with a razor knife and snapped into place

Top and Bottom Flange:  
 - Decorative floor plate or ceiling pass through

Floor brackets:  
 - Secure column to the floor



### MONITOR SOLUTIONS



**Adapt Ergonomics/Adapt Global**  
 17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499 | www.adapt-global.com**  
**infousa@adapt-global.com**

# SELECT YOUR WALL/COLUMN MOUNT COMPONENTS

Product Code      Description      Price

Monitor Arm Solutions      (Color product code: Black BLK; Platinum PLT; White WHT; Champagne CHM)

ST01VM-CM	SpaceArm Stubby	\$178.50
SP01VM-CM	SpaceArm Stubby Plus	\$231
SA01VM-CM	SpaceArm Standard	\$336
SD01VM-CM	SpaceArm Direct Mount (no tilt)	\$336
SA01XPVM-CM	SpaceArm Extended	\$388.50
SS01VM-CM	SpaceArm Sit-Stand Arm	\$336
QC	Quick Change Monitor mount	\$ 11

Laptop Platform Solutions      (Color product code: Black BLK; Platinum PLT; White WHT; Champagne CHM)

ST01VM-CM-LP	Laptop Platform on a Stubby Arm	\$304.50
SP01VM-CM-LP	Laptop Platform on a Stubby Plus Arm	\$357
SA01VM-CM-LP	Laptop Platform on a Standard SpaceArm	\$462
LL	Laptop Lock	\$ 42

Keyboard Solutions

ST01VM-CM-RP	Radius Profile keyboard tray on Stubby. Wrist Rest options: Gel Mouse Pad (G) or Low Profile (L)	\$336
ST01VM-CM-27	27"/685.8mm keyboard tray on Stubby	\$336
SP01VM-CM-RP	Radius Profile keyboard tray on Stubby Plus. Wrist Rest options: Gel Mouse Pad (G) or Low Profile (L)	\$388.50
SP01VM-CM-27	27"/685.8mm keyboard tray on Stubby Plus	\$388.50

Custom keyboard sizes available upon request.

Writing Surfaces/Tablet Solutions

ST01VM-CM-WS	Writing Platform on Stubby	\$336
SP01VM-CM-WS	Writing Platform on Stubby Plus	\$388.50
SA01VM-CM-WS	Writing Platform on Standard Arm	\$493.50
SA01XPVM-CM-WS	Writing Platform on Extended Arm	\$546

Lighting Solutions

WL01VM-CM	Wave Light (Standard). Color Code: Black BLK; Platinum PLT; White WHT.	\$367.50
WL02VM-CM	Wave Light (Short). Color Code: Platinum PLT or White WHT.	\$367.50
WL21VM-CM	Wave Light II (Standard). Color Code: Black BLK; Platinum PLT; White WHT.	\$420
WL22VM-CM	Wave Light II (Short). Color Code: Platinum PLT or White WHT.	\$420

CPU Solution

CPU-EE-WM	CPU Holder Wall Mount	\$220
LL0022	Optional locking kit	\$ 33



ergonomic workplace solutions

## SPACETRAYS

---



**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)**  
**[infousa@adapt-global.com](mailto:infousa@adapt-global.com)**




# SELECT YOUR SPACETRAY


Frees up desk space and is easily configurable to your filing needs.



**SpaceTray Wall Mounted**  
ST3-WM



**SpaceTray 3-Pack with Faceplate & Stand/Hanger**  
ST4



**SpaceTray 4-Pack**  
ST5

Product Code	Option	Description	Price
ST3-WM	Universal	SpaceTray Wall Mounted. 3-Pack for storing/organizing files.	\$50.40
ST3-PM-UN	Left (L) Right (R)	SpaceTray Wall Mounted Unigroup. 3-Pack for storing/organizing files.	\$50.40
ST3-PM-PR	Left (L) Right (R)	SpaceTray Wall Mounted Premise. 3-Pack for storing/organizing files.	\$50.40
ST3-PM-ETL	Universal	SpaceTray Wall Mounted Ethospace. 3-Pack for storing/organizing files.	\$50.40
ST4	Universal	SpaceTray 3-Pack with Faceplate & Stand/Hanger. Panel mounted. Great for storing/organizing files.	\$40
ST5	Universal	SpaceTray 4-Pack. Great for storing/organizing files.	\$40

## OLÉ CHAIR

---



# SELECT YOUR OLÉ CHAIR

## COLOR



Cream  
*L*  
\$1,840



Beige  
*M*  
\$1,840



Dark Taupe  
*D*  
\$1,840

Chairs feature a dark walnut - finished bottom storage shelf and four grey casters with two locking rear casters. COM fabric options available. 6-8 week lead-time. Minimum order for COM is 10 units.

## TABLET ARM & CUP HOLDER

*TB*

Dimensions: 30"W x 28.5"D x 29.5"H (762mm x 723.9mm x 749.3mm)

- Tablet - Dark Walnut finish
- Brushed aluminum trim details

\$345



**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)



ergonomic workplace solutions

## MOPED

---



**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)**  
**[infousa@adapt-global.com](mailto:infousa@adapt-global.com)**

# SELECT YOUR MOBILE STORAGE UNIT

## COLOR

Step 1



**Black**  
BLK  
\$402.50



**Platinum\***  
PLT  
\$402.50



**White\***  
WHT  
\$402.50

\* Platinum and White - special order only. 200 unit minimum required.

## OPTIONAL SEAT CUSHION COLOR

Step 2



**Black**  
BLK  
\$172.50




**Gray**  
GRY  
\$172.50



**Taupe**  
TUP  
\$172.50

### Specifications

- Full extension glides
- Anti-tilt front wheel
- Pencil tray included
- Box drawer divider included
- Lock with two keys included



## PoleArm and Tablet Arm Options



**PA101**  
*Vesa Mount*



**PA101QC**  
*Quick Change Mount*



*Quick Change Mount Detail*



**PA121**  
*Vesa Mount*



**PA121QC**  
*Quick Change Mount*



**PA201**  
*Quick Change Mount*



**PA201**  
*Vesa Mount*



**PA221**  
*Vesa Mount*



**PA221QC**  
*Quick Change Mount*



*Tablet Mount Detail*



**PT101**  
*Tablet Mount*



**PT201**  
*Tablet Mount*

## Technical Specs

- Thermo-fused polyester finish
- High pressure die-cast aluminum construction
- Conforms to VESA 75mm x 75mm, 100mm x 100mm and 100mm x 200mm mounting patterns
- 5.25" range of vertical movement
- 40 degrees of tilt (20 degrees+/20 degrees-)
- 360 degree monitor rotation
- 360 degree arm rotation
- Tablet Mount for tablet applications
- Quick Change Mount and Direct Mount for monitor application
- Mounts available: Bolt through, C-Clamp
- 15lbs maximum weight per arm

# SELECT YOUR POLEARM

## MODEL

Step 1



PA101 \$184.80



PA121 \$317.10



PA201 \$210



PA221 \$367.50

### PoleArm Specifications


- Thermo-fused polyester finish
- High pressure die cast aluminum construction
- Conforms to VESA 75mm x 75mm, 100mm x 100mm and 100mm x 200mm mounting patterns
- 5.25"/133.5mm range of vertical movement
- 10.3"/260.83mm width extension
- 12"/304.87mm height extension
- 40 degrees of tilt
- (20 degrees+/20 degrees - )
- 360 degree monitor rotation
- 360 degree arm rotation

### PoleArm Extended Specifications

- Thermo-fused polyester finish
- High pressure die cast aluminum construction
- Conforms to VESA 75mm x 75mm, 100mm x 100mm and 100mm x 200mm mounting patterns
- 5.25"/133.5mm range of vertical movement
- 21"/531.46mm width extension
- 16.5"/419.60mm height extension
- 40 degrees of tilt
- (20 degrees+/20 degrees - )
- 360 degree monitor rotation
- 360 degree arm rotation

## MONITOR MOUNT

Step 2




### Direct Mount

DM

This is our standard monitor mount that comes with all arms unless otherwise specified.

**Included**




### Quick Change

QC

Allows users to switch monitors out quickly and easily.

**\$11 per arm**



### Tablet Mount

TM

Standard tablet mount allows users to easily mount tablets. **Included**

## SURFACE MOUNT

Step 3



**Bolt Through**  
*BT*  
Included



**C-Clamp**  
*CC*  
\$31.50

### Vertical Mounts\* *VM*

\* Available Vertical Mounts include Space Beam 1 and Space Beam 2. Contact your Adapt Representative for more information.


Note: Upright extrusion will always be anodized aluminum.

## COLOR


Step 4



**Platinum**  
*PLT*



**White**  
*WHT*



**Black**  
*BLK*



**Champagne**  
*CHM*

Minimum order quantities apply to White and Champagne colors.





ergonomic workplace solutions

## POWER, DATA & COMMUNICATIONS MODULE

The PDCM (Power, Data and Communications Module) system from Adapt is 100% modular for above work surface power, data and communications distribution.



A 'first in class' truly modular solution is now available. The PDCM by Adapt is a plug-and-play platform that is simple and easy to use. The specific power, data and communication needs of employees can now be accessed on the work surface—no more strenuous bending or kneeling under the workspace to navigate multiple cords. The PDCM is available in both standard and tailored configurations.

This customizable solution is ergonomic, convenient, and safe. The PDCM offers flexibility and range, with a customizable configuration of outlets, ethernet ports, laptop adapters and USB ports. The user can customize the PDCM to best suit his or her communications needs.

**"2015 Best of NeoCon Silver Award Winner for Workplace Technologies"**

# POWER, DATA & COMMUNICATIONS MODULE

## MODULE OPTIONS

75mm / 2.95" w  
One ON/OFF switch



**Switch Module**  
**\$170.10**

Always included in base unit.

50mm / 2.95" w  
One US outlet



**Power Outlet (US)**  
**\$23.10**

75mm / 2.95" w  
One UK outlet



**Power Outlet (UK)**  
**\$23.10**

75mm / 2.95" w  
One EU outlet



**Power Outlet (EU)**  
**\$23.10**

150mm / 5.90" w  
One laptop adapter



**Universal Laptop Adapter**  
**\$283.50**

75mm / 2.95" w  
Two Ethernet ports  
Two USB ports



**DataCom USB Module**  
**\$52.45**

Always included in standard base unit.

75mm / 2.95" w  
Three USB ports



**USB Module**  
**\$78.75**

## MOUNTING OPTIONS



**C-Clamp Mount**

**\$21**



**Desktop Adhesive Mount**  
**Included**

**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499** | [www.adapt-global.com](http://www.adapt-global.com)  
[infousa@adapt-global.com](mailto:infousa@adapt-global.com)





ergonomic workplace solutions

## SIGNATURE NAME PLATE

Designed with a curved profile, the Signature Name Plate by Adapt is modern and sleek in design.

### Overview

Designed with a curved profile, the Signature Name Plate by Adapt is modern and sleek in design. With two hanging profile options and three available lengths, the plate will fit a wide range of office furniture, including the SpaceBeam by Adapt. Each Name Plate comes with a perforated sheet to print and slide into the holder. The Signature Name Plate makes a subtle and clean addition to any workstation.



Available in two hanging profiles and three lengths to easily affix to a wide range of office furniture.

### Key Benefits

- Name Plate is constructed from anodized aluminum and clear acrylic to produce a sleek finish.
- Available in two hanging profiles, and three lengths.
- Velvet pads on the back prevent Signature Name Plates from scratching tool rail or other office furniture.

### Technical Overview

- Available lengths: 90mm, 150mm, and 200mm
- Construction:
  - Body - extruded aluminum
  - Lens - acrylic
  - Backing - velvet
- Finish and color:
  - Body - anodized, clear
  - Lens - polished, clear
  - Backing - velvet, black
- Packaging:
  - 90mm - 12 per box
  - 150mm - 6 per box
  - 200mm - 6 per box

## Call Us For Pricing

**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011


**1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)**  
**[infousa@adapt-global.com](mailto:infousa@adapt-global.com)**



ergonomic workplace solutions

## FOOTREST

Elevate feet below the workstation to maximize comfort and ergonomic efficiency with the Footrest by SpaceCo.



FTR010-BLK \$132

The Footrest by SpaceCo offers users an easy, comfortable means for elevating feet below the workstation. The health benefits of elevating the feet with Adapt’s Footrest include improved blood flow, circulation, and posture. The Footrest is slim in design to make it discreet and unobtrusive below the work surface.

### Key Benefits

- Minimal, unobtrusive design for maximum spatial efficiency
- Increased blood flow, circulation, and posture for user
- Decreased lower back pressure for user

### Technical Overview

- Construction: molded steel
- Finish and color: black powder coated
- Packaging: ship one per box

## SUCKER CLIP

The Sucker Clip by Adapt is an accessory product that enables users to clip documents onto glassed, mirrored, or otherwise smooth, non-porous and vertical surfaces, supported by a suction cup.



**\$126** PER SHEET OF 20

### Overview

The Sucker Clip by Adapt is an accessory product that enables users to clip documents onto glass, mirrored, or otherwise smooth, non-porous and vertical surfaces, such as fiberglass, tile, and some metals, supported by a suction cup. The uses are far and wide but could include posting corporate memos or meeting schedules, for example.

### Key Benefits

- Industrial strength suction cup
- White plastic clip
- Maximum weight 1.5 lbs.

### Technical Overview

- Construction:
  - Body - molded plastic
  - Backing - suction cup
  - Internal spring for support
- Finish & Color:
  - Suction cup - clear
  - Clip - white
- Packaging: Ship sheet of 20

## WORK STOOLS & SIT-STAND HI CHAIRS

Why choose between sitting and standing when you can do both?



Hi-Chair

\$690



Hi-Chair with  
optimal arms

\$805



Hi-Stool  
Black

\$460



Hi-Stool  
Blue

\$460



Non-Locking Caster Wheels



Hi-Chair Polyurethane Molded Seat - Black  
Hi-Chair also comes in a Black upholstered seat.

ADD \$53 FOR UPHOLSTERED SEAT




Hi-Stool Polyurethane Molded Seat - Black



Hi-Stool Polyurethane Molded Seat - Blue

### Hi-Chair Specifications





## GSA TERMS AND CONDITIONS

GENERAL SERVICES ADMINISTRATION  
#GS-27F-005DA

Contract Number# GS-27F-005DA  
Adapt Ergonomics / Adapt Global

Awarded SIN: 711-2 Worksurfaces, Workstations, Computer Furniture and Accessories

Basic Discount: 60%  
Pricelist: SpaceCo Business Solutions catalog dated March 1, 2014  
Maximum Order: \$500,000  
Minimum Order: None  
Prompt Payment Terms: 2%, 20 Net 30 Days  
Delivery: 7-10 Days ARO  
FOB: Origin

Warranty: Standard Commercial Warranty  
Return/Restocking Policy: Standard Return/Restocking Policy  
Government Credit Card: Accepted below and above micro-purchase threshold

Payment Address:  
Adapt Ergonomics / Adapt Global  
17650 E. 32nd Place, Suite 10-A  
Aurora, CO 80011  
800-840-8499

Export Packaging Charges: Quoted upon request  
Installation: Installation Services are not included  
Restocking Terms: Minimum 25%







ergonomic workplace solutions

## WARRANTY INFORMATION

---

Adapt Manufacturer's Warranty	82
Optima Keyboard and Mechanisms Manufacturer's Warranty	83
Wave Light Manufacturer's Warranty	84
Environmental Responsibility LEED for Commercial Interiors	85

# MANUFACTURER'S WARRANTY

## Limited Warranty

Adapt expressly warrants that Adapt products will be free of defects in material (parts) and workmanship (labor) for the following terms: (a) flooring products- one (1) year; (b) Integrated Levitation System- five (5) years; (c) Wave Light products- five (5) years; (d) Space Beams, Space Arms and Pelican Drawers- ten (10) years. Within the warranty period, a unit will be tested, repaired or replaced at Adapt's option, free of charge. Call our Customer Service Department at 1-800-840-8499 for a Return Material Authorization (RMA) and proper shipping instructions and address. Please include a copy of your original packing slip, invoice, or other proof of date of purchase. Any unit under warranty should be shipped prepaid to the Adapt factory. SpaceCo's only obligation shall be to replace such quantity of the product proven to be defective.

If your item is out of warranty, call our Customer Service Department at the above number for a Return Material Authorization (RMA) and proper shipping instructions and address.

Adapt will quote repair charges necessary to bring your items up to factory standards. Adapt will make every reasonable effort to assist the buyer in addressing any issues related to the use or performance of its product. However, under no circumstances will Adapt accept return of any product or claim related thereto without its prior approval, and a properly issued Return Material Authorization.

## Warranty Exclusions

THE FOREGOING EXPRESS WARRANTY IS MADE IN LIEU OF ALL OTHER PRODUCT WARRANTIES, EXPRESSED AND IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE WHICH ARE SPECIFICALLY DISCLAIMED. The express warranty will not apply to defects or damage due to accidents, neglect, misuse, alterations, or failure to properly maintain, clean or repair products.

DISCLAIMER OF DAMAGES FOR IMPROPER USE. Adapt shall not be responsible for damage to its products, or injuries or damages caused by its products, resulting from improper installation, maintenance, unintended use or attempts to operate such products beyond their mechanical capacity, intentionally or otherwise, or by reason of unauthorized repair.

## Limit of Liability

In no event will Adapt or any seller be responsible or liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, buyers shall determine the suitability of the product for their intended use, and buyers assume all risk and liability whatsoever in connection therewith.

## F.O.B. Point

Unless embodied in a written agreement signed by authorized officers of Adapt, the F.O.B. point for all products purchased from Adapt will be the F.O.B. factory. Under the F.O.B. factory shipping term, risk of loss for the products transfers to the buyer once Adapt has discharged its duty to put the goods in possession of the shipping carrier, and therefore Adapt will not be responsible for any damage to the product or other liability arising during transit.

## Non-Transferability

This limited warranty is extended exclusively to the original buyer and is not transferable to anyone who may subsequently purchase this product. Warranty claims must be made by the original buyer of the product directly to Adapt Business Solutions, Inc.

## General Terms

No statement or recommendation not contained herein shall have any force or effect unless embodied in a written agreement signed by authorized officers of Adapt. This warranty is the sole statement of SpaceCo's warranty for the product and supersedes all prior written or oral statements made by or on behalf of Adapt. All claims arising under this limited warranty shall be resolved in the State of Colorado and Colorado law shall apply.

**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)**  
**[infousa@adapt-global.com](mailto:infousa@adapt-global.com)**

# OPTIMA KEYBOARDS AND MECHANISMS MANUFACTURER'S WARRANTY

## Limited Warranty

Adapt Ergonomics / Adapt Global ("Adapt") expressly warrants that for a period of five (5) years from the date of purchase, Adapt products will be free of defects in material (parts) and workmanship (labor). Within the warranty period, a unit will be tested, repaired or replaced at Adapt's option, free of charge. Call our Customer Service Department at 1-800-840-8499 for Return Material Authorization (RMA) and proper shipping instructions and address. Please include a copy of your original packing slip, invoice, or other proof of date of purchase. Any unit under warranty should be shipped prepaid to the Adapt factory. SpaceCo's only obligation shall be to replace such quantity of the product proven to be defective.

This Warranty contemplates use of the product in a standard working environment of eight (8) hour shifts and forty (40) hour weeks. Usage of Adapt products in twenty four (24) hour and seven (7) day work week operations will reduce the warranty period to three (3) years from the date of purchase.

Keyboard wrist rests and mouse pads are categorized as Wear Items, and are not covered as warranty items.

If your item is out of warranty, call our Customer Service Department at the above number for a Return Material Authorization (RMA), proper shipping instructions and address. Adapt will quote repair charges necessary to bring your item(s) up to factory standards. Adapt will make every reasonable effort to assist the buyer in addressing any issues related to the use or performance of its product. However, under no circumstances will Adapt accept return of any product or claim related thereto without its prior approval, and a properly issued Return Material Authorization.

## Warranty Exclusions

THE FOREGOING EXPRESS WARRANTY IS MADE IN LIEU OF ALL OTHER PRODUCT WARRANTIES, EXPRESSED AND IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE WHICH ARE SPECIFICALLY DISCLAIMED. The express warranty will not apply to defects or damage due to accidents, neglect, misuse, alterations, or failure to properly maintain, clean or repair products.

DISCLAIMER OF DAMAGES FOR IMPROPER USE. Adapt shall not be responsible for damage to its products, or injuries or damages caused by its products, resulting from improper installation, maintenance, unintended use or attempts to operate such products beyond their mechanical capacity, intentionally or otherwise, or by reason of unauthorized repair.

## Limit of Liability

In no event will Adapt or any seller be responsible or liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, buyers shall determine the suitability of the product for their intended use, and buyers assume all risk and liability whatsoever in connection therewith.

## F.O.B. Point

Unless embodied in a written agreement signed by authorized officers of Adapt, the F.O.B. point for all products purchased from Adapt will be the F.O.B. origin. Under the F.O.B. origin shipping term, risk of loss for the products transfers to the buyer once Adapt has discharged its duty to put the goods in possession of the shipping carrier, and therefore Adapt will not be responsible for any damage to the product or other liability arising during transit.

## Non-Transferability

This limited warranty is extended exclusively to the original buyer and is not transferable to anyone who may subsequently purchase this product. Warranty claims must be made by the original buyer of the product directly to Adapt Business Solutions, Inc.

## General Terms

No statement or recommendation not contained herein shall have any force or effect unless embodied in a written agreement signed by authorized officers of Adapt. This warranty is sole statement of SpaceCo's warranty for the product and supersedes all prior written or oral statements made by or on behalf of Adapt. All claims arising under this limited warranty shall be resolved in the State of Colorado and Colorado law shall apply.

**Adapt Ergonomics/Adapt Global**  
17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011

**1.800.840.8499 | [www.adapt-global.com](http://www.adapt-global.com)**  
**[infousa@adapt-global.com](mailto:infousa@adapt-global.com)**

# WAVE LIGHT MANUFACTURER'S WARRANTY

## Limited Warranty

Adapt Ergonomics / Adapt Global ("Adapt") expressly warrants that for a period of five (5) years from the date of purchase, Adapt products will be free of defects in material (parts) and workmanship (labor). Within the warranty period, a unit will be tested, repaired or replaced at Adapt's option, free of charge. Call our Customer Service Department at 1-800-840-8499 for a Return Material Authorization (RMA) and proper shipping instructions and address. Please include a copy of your original packing slip, invoice, or other proof of date of purchase. Any unit under warranty should be shipped prepaid to the Adapt factory. Adapt's only obligation shall be to replace such quantity of the product proven to be defective.

If your item is out of warranty, call our Customer Service Department at the above number for a Return Material Authorization (RMA) and proper shipping instructions and address. Adapt will quote repair charges necessary to bring your items up to factory standards.

Adapt will make every reasonable effort to assist the buyer in addressing any issues related to the use or performance of the Wave Light product(s). However, under no circumstances will Adapt accept return of any product or claim related thereto without its prior approval, and a properly issued Return Material Authorization.

## Warranty Exclusions

THE FOREGOING EXPRESS WARRANTY IS MADE IN LIEU OF ALL OTHER PRODUCT WARRANTIES, EXPRESSED AND IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE WHICH ARE SPECIFICALLY DISCLAIMED. The express warranty will not apply to defects or damage due to accidents, neglect, misuse, alterations, or failure to properly maintain, clean or repair products.

DISCLAIMER OF DAMAGES FOR IMPROPER USE. Adapt shall not be responsible for damage to its products, or injuries or damages caused by its products, resulting from improper installation, maintenance, unintended use or attempts to operate such products beyond their mechanical capacity, intentionally or otherwise, or by reason of unauthorized repair.

## Limit of Liability

In no event will Adapt or any seller be responsible or liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, buyers shall determine the suitability of the product for their intended use, and buyers assume all risk and liability whatsoever in connection therewith.

## F.O.B. Point

Unless embodied in a written agreement signed by authorized officers of Adapt, the F.O.B. point for all products purchased from Adapt will be the F.O.B. factory origin. Under the F.O.B. factory shipping term, risk of loss for the products transfers to the buyer once Adapt has discharged its duty to put the goods in possession of the shipping carrier, and therefore Adapt will not be responsible for any damage to the product or other liability arising during transit.

## Non-Transferability

This limited warranty is extended exclusively to the original buyer and is not transferable to anyone who may subsequently purchase this product. Warranty claims must be made by the original buyer of the product directly to Adapt Ergonomics / Adapt Global.

## General Terms

No statement or recommendation not contained herein shall have any force or effect unless embodied in a written agreement signed by authorized officers of Adapt. This warranty is sole statement of Adapt's warranty for the product and supersedes all prior written or oral statements made by or on behalf of Adapt. All claims arising under this limited warranty shall be resolved in the State of Colorado and Colorado law shall apply.

# ENVIRONMENTAL RESPONSIBILITY LEED FOR COMMERCIAL INTERIORS

## Our Six Root Environmental Process

### Our Delivery

The Packaging - Cardboard and Pulp  
All packaging contains 100% recycled content and is 100% recyclable. The packaging is designed for the exact size and shape of the product.

### Our Factory

The Process - Green Manufacturing  
Our manufacturing equipment is designed for its intended use to ensure little to no waste is created.

### Our Shipments

The Transportation - Your Destination  
Most of our products are manufactured, assembled or finished in Denver, Colorado. Our factory is within 500 miles of 10 major cities. This helps gain LEED credits for project installations 5.1.

### Our Sales and Marketing

The Tools - Product materials are available online.  
We take our commitment seriously by not overwhelming our vendor's libraries with a plethora of printed literature and marketing material. All of our marketing information is on-line to reduce paper waste.

### Our Design Details

Sustainable Design Options  
Our solutions are designed and engineered with sustainability as an integral feature. They are intuitively designed to grow with your everchanging business needs.

### Our Manufacturing Materials

The Products  
The aluminum, steels, nylons, resins, colors are all 100% recyclable. Most of our products have 100% recycled content integrated into the product.

## Quick Reference Chart - LEED Summary Credits

We can help your organization earn LEED credits for Commercial Interiors and Ergonomics.

Credit	LEED Category	SpaceArm	Space Beam	Pelican Drawer	Optima Keyboard	Optima CPU Holder	ILS	Wave Light
1.1	Optimize Energy Performance							X
3.2	Resource Reuse						X	
4.1	Recycled Content	X	X	X	X	X	X	X
4.2	Recycled Content	X	X	X	X	X	X	X
5.1	Regional Materials	X	X	X	X			
5.2	Regional Materials					X	X	X
6.1	Controllability of Systems Lighting							X



### Credit 1.1

*Optimize Energy Performance, Lighting Power = 1 - 5 points.  
Adapt qualifying products: Wave Light*

Intent: To achieve increasing levels of energy conservation beyond the referenced standard reducing environmental and economic impacts associated with excessive energy use.

Requirements: Reduce connected lighting power density below that allowed by ANSI/ASHRAE/IESNA Standard 90.1- 2007 (with errata but without addenda 1) using either the space-by-space method or by applying the whole building lighting power allowance to the entire tenant space. The points earned for reducing lighting power density below the standard are as follows:

Lighting Power Density Reduction below the Standard Points

- 15% 1
- 20% 2
- 25% 3
- 30% 4
- 35% 5

Project teams in California may use Title 24-2005, Part 6 in place of ANSI/ASHRAE/IESNA Standard 90.1-2007.

Potential Technologies and Strategies: Design the connected lighting power to maximize energy performance. If the project warrants, consider a computer simulation model to assess the performance and identify the most cost-effective energy efficiency measures.

### Credit 3.2

*Resource Reuse, 30% Furniture and Furnishings = 1 point.  
Adapt qualifying products: Integrated Levitation System (ILS)*

Intent: To reuse building materials and products to reduce demand for new materials and reduce waste, thereby reducing impacts associated with the extraction and processing "of virgin resources.

Requirements: Use salvaged, refurbished or used furniture and furnishings for 30% of the total furniture and furnishings budget.

Potential Technologies and Strategies: Identify opportunities to incorporate salvaged and reuse furniture into project design and research potential material suppliers. Consider salvaging and reusing systems furniture and furnishings such as case pieces, seating, filing systems, decorative lighting and accessories.

### Credit 4.1 and 4.2

Credit 4.1	=	Recycled Content,	10%	(post-consumer	+	1/2	per-consumer)	=	1	point.
Credit 4.2	=	Recycled Content,	20%	(post-consumer	+	1/2	per-consumer)	=	1	point.

*Adapt qualifying products: SpaceArm; SpaceChannel; SpaceBeam; Pelican Drawers; Optima Keyboards; Optima CPU Holders; Space Trays; ILS*

Intent: To increase demand for building products that incorporate recycled content materials, thereby reducing impacts resulting from extraction and processing of new materials.

Requirements: Use materials, including furniture and furnishings, with recycled content such that the sum of post-consumer recycled content plus 1/2 of the pre-consumer content constitutes at least 10% or 20% based on cost of the total value of the materials in the project. The minimum percentage materials recycled for each point threshold is as follows:

Recycled Content Points

- 10% 1
- 20% 2

The recycled content value of a material or furnishing is determined by weight. The recycled fraction of the assembly is then multiplied by the cost of assembly to determine the recycled content value. Mechanical, electrical and plumbing components cannot be included in this calculation.

Potential Technologies and Strategies: Establish a project goal for recycled content materials, and identify suppliers that can achieve this goal. During construction, ensure that the specified recycled content are installed. Consider a range of environmental, economic and performance attributes when selecting products and materials.

## Credit 5.1 and 5.2

*Credit 5.1 = Regional Materials, 20% Manufactured Regionally = 1 point.*

*Credit 5.2 = Regional Materials, 10% E tracted and Manufactured Regionally = 1 - 2 points.*

*Adapt qualifying products: SpaceArm; SpaceChannel; SpaceBeam; Pelican Drawers; Optima Keyboards; Optima CPU Holders; Space Trays; ILS*

Intent: To increase demand for building materials and products that are e tracted and manufactured within the region, thereby supporting the local economy and reducing the environmental impacts resulting from transportation.

Requirements:

OPTION 1 (1 point)

Use a minimum of 20% of the combined value of construction and Division 12 (Furniture) materials and products that are manufactured regionally within a radius of 500 miles.

OPTION 2 (2 points)

Meet the requirements for "Option 1". Use a minimum of 10% of the combined value of construction and Division 12 (furniture) materials and products e tracted, harvested or recovered, as well as manufactured, within 500 miles of the project.

Potential Technologies and Strategies: Establish a project goal for locally sourced materials and identify suppliers that can achieve this goal. During construction, ensure that the specified local materials are installed and quantify the total percentage of those installed. Consider a range of environmental, economic and performance attributes when selecting products and materials.

## Credit 6.1

*Controllablilty of Systems, Lighting = 1 point.*

*Adapt qualifying products: Wave Light*

Intent: To provide a high level of lighting system control for individual occupants or groups in multi-occupant spaces (e.g., classrooms and conference areas) and promote their productivity, comfort and well-being.

Requirements: Provide individual lighting controls for: 90% (minimum) of the tenant space occupants to enable adjustments to suit individual task needs and preferences. Provide lighting system controls for all shared multi-occupant spaces to enable adjustments that meet group needs and preferences.

Potential Technologies and Strategies: Design the tenant space with occupant controls for lighting. Strategies to consider include lighting controls and task lighting. Integrate lighting systems controllability into the overall design.



**adapt**

**ergonomic workplace solutions**

**Adapt Ergonomics/Adapt Global  
Pricing & Specifications Manual**